

### WOMEN IN MINING CATALOGUE



GAUTENG +27 11 760 2185 info@saharaworkwear.com

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com

COPYRIGHT © 2024 SAHARA WORKWEAR

KWAZULU-NATAL



# ARC PROTECTION

#### 15 CAL LADIES ARC SUIT - DWL-ARC15-J / P



GAUTENG

+27 11 760 2185 info@saharaworkwear.com

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR KWAZULU-NATAL



# **COLD WEATHER** PROTECTION



info@saharaworkwear.com

coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

kzn@saharaworkwear.com



# COLD WEATHER PROTECTION



COPYRIGHT © 2024 SAHARA WORKWEAR





### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR KWAZULU-NATAL +27 31 880 1639

kzn@saharaworkwear.com





+27 11 760 2185 info@saharaworkwear.com

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR





+27 11 760 2185 info@saharaworkwear.com WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR





+27 11 760 2185 info@saharaworkwear.com

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR





+27 21 518 0959 coastal@saharaworkwear.com copyright © 2024 Sahara workwear

+27 11 760 2185

info@saharaworkwear.com





With its easy-to-clean neoprene strap and its built-in TPR foam, this goggle kit is especially suitable for clean industries especially suitable for clean industries and the agro-food industry. – High strength goggles – Isoprene strap and TPR comfort seal – Platinum® coating – Compact, lightweight and panoramic – 100% sealed

COVERALL SAFETY GOGGLES COVARSI

Ideal for fire fighting, Chronosoft goggles offer high-end innovation. The elastomer

frame withstands extreme heat. The

double lens features the EQUALIZER system for effective fog protection. – Ballistic Resistance: STANAG 2920 - Elastomer frame that withstands extreme heat - Double-lens for increased protection

from fire, fogging and all extreme conditions - Wide, adjustable fireproof strap – High-comfort sealed frame





Versatile PVC goggles that fit over prescription glasses, available in ventilated or sealed versions. - Adjustable strap Fits over prescription glasses
 2 versions : ventilated (COVARSI) or sealed (COVERSI)

### COVERALL SAFETY GOGGLES COVERSI

With its easy-to-clean neoprene strap and its built-in TPR foam, this goggle kit is especially suitable for clean industries

and the agro-food industries
 High strength goggles
 Isoprene strap and TPR comfort seal

 Platinum<sup>®</sup> coating
 Compact, lightweight and panoramic
 100% sealed

100% sealed

bollé



Versatile PVC goggles that fit over prescription glasses, available in ventilated or sealed versions. Adjustable strap Fits over prescription glasses
 2 versions : ventilated (COVARSI) or sealed (COVERSI)

### PILOT SAFETY GOGGLES PILOCSP





Its co-injected, ventilated frame guarantees unequalled adaptability and ċomfort. PILOT goggle is now available for fire fighting with its co-injected sealed frame that guarantees adaptability and unequalled comfort. – Excellent field of vision
 – Very flexible PP/TPR frame
 – Adjustable strap (adjustable flame retardant strap for PILOFCSP)
 – Fits over prescription glasses
 – Platinum® Anti-scratch & anti-fog coating – Sealed frame (PILOFCSP)

### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

+27 31 880 1639 kzn@saharaworkwear.com

KWAZULU-NATAL



technology + PC/TPR co-injected frame with overflow

chute + Easy-fix pivoting faceguard + Improved recyclability

KWAZULU-NATAL +27 31 880 1639

kzn@saharaworkwear.com

+27 11 760 2185 info@saharaworkwear.com

GAUTENG

WESTERN CAPE

+27 21 518 0959

coastal@saharaworkwear.com

COPYRIGHT © 2024 SAHARA WORKWEAR











This innovative goggle with its exclusive Platinum coating is available in several versions, each adapted to a specific work environment. Equipped with 'Wave' technology, the Universal Goggle adapts perfectly to each user's morphology, eliminating gaps without increasing pressure points, thus guaranteeing superior protection without compromising the user's comfort. To improve the environmental impact of the product, it has been specifically designed to be easier to recycle: it can be quickly disassembled to separate the materials from each other. + Optimal fit thanks to its Wave technology + PC/TPR co-injected frame with overflow

chute

+ Easy-fix pivoting faceguard + Improved recyclability

### EXECUTIVE CHOICE ES015 (CLEAR) BLUE



- Offers exceptional impact resistance with excellent vision.
- with excellent Vision. Adjustable temple length within a range of 15mm to customize the fit on the user's head. Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection increased
- Tested for disinfection, increased Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance.

Lens Scale No. • Clear: 3-1.2 Weight Weight 30 gms approx Lens Shade Options Clear antifog, Smoked/Antifog Certified to EN 166:2001 ANSI Z87.1-2015

### GAUTENG

+27 11 760 2185 info@saharaworkwear.com



UNIVERSAL SAFETY GOGGLES UNIVGN80W

This innovative goggle with its exclusive Platinum coating is available in several versions, each adapted to a specific work

versions, each adapted to a specific work environment. Equipped with 'Wave' technology, the Universal Goggle adapts perfectly to each user's morphology, eliminating gaps without increasing pressure points, thus guaranteeing superior protection without compromising the user's comfort. To improve the environmental impact of the product, it has been specifically designed to be easier to recycle: it can be quickly disassembled to separate the materials from each other. + Optimal fit thanks to its Wave technology

+ PC/TPR co-injected frame with overflow

chute + Easy-fix pivoting faceguard + Improved recyclability

EXECUTIVE CHOICE ES015 (SMOKED) (NG)

KARAM

bollé

bollé

- Offers exceptional impact resistance with excellent vision.
- with excellent vision. Adjustable temple length within a range of 15mm to customize the fit on the user's head. Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased robustness
- robustness. Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance. Lens Scale No. • Smoked: 5-3.1 Walabt

Weight Weight 30 gms approx Lens Shade Options Clear antifog, Smoked/Antifog Certified to EN 166:2001 ANSI Z87.1-2015

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR



- Offers exceptional impact resistance with excellent vision. Adjustable temple length within a range of 15mm to customize the fit on
- the user's head. Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased
- robustness.

robustness. Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance. Lens Scale No. • Clear: 3-1.2 Weight 30 gms approx Lens Shade Options Clear antifog, Smoked/Antifog Certified to EN 166:2001 ANSI Z87.1-2015

### EXECUTIVE CHOICE ES015 (SMOKED) ANTIFOG





- Offers exceptional impact resistance with excellent vision.
- Adjustable temple length within a
- Adjustable temple length within a range of 15mm to customize the fit on the user's head. Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased robustness
- robustness. Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance.

Lens Scale No. • Smoked: 5-3.1 Weight

Weight 30 gms approx Lens Shade Options Clear antifog, Smoked/Antifog Certified to EN 166:2001 ANSI Z87.1-2015

KWAZULU-NATAL





Unique wrap-around design for better coverage. Adjustable temple length within a range of 14mm to customize the fit on the user's head. Equipped with specially designed soft nose-pad to provide extra comfort. Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased robustness. Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance. Lens Scale No. Clear: 3-1.2 Weight: 34 gms approx Lens Shade OptionSClear, Indoor/Outdoor, Smoked, Clear antifog Certified to: Conforms to EN 166:2001 ANSI Z 87.1-2015

#### EXECUTIVE'S CHOICE ES005 (SMOKED)



Extremely light in weight with a hardcoated lens for scratch resistance. Wrap-around design for better coverage. Adjustable temple length within a range of

14mm. Smoked lens model also provides optimum protection against harmful UV radiation. Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased robustness. Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance.

Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance. Lens Scale No. Smoked: 5-3.1 Weight: 26 gms approx Lens Shade Options: Clear, Clear antifog, Smoked

Smoked Certified to: EN 166:2001, EN 167:2001, EN 172:1994, EN 168:2001

### GAUTENG

+27 11 760 2185 info@sahara<u>workwear.com</u>





Unique wrap-around design for better coverage. Adjustable temple length within a range of 14mm. Equipped with specially designed soft nose-pad to provide extra comfort. Smoked lens model also provides optimum protection against harmful UV radiation. Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased robustness. Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance. Lens Scale No. Clear: 3-1.2 Indoor/Outdoor:5-1.7 Weight: 34 gms approx Lens Shade OptionsClear, Indoor/Outdoor, Smoked, Clear antifog Certified to: Conforms to EN 166:2001 ANSI Z 87.1-2015

#### CONSTRUCTION WORKERS CHOICE ES 001(CLEAR)



Extremely light weight with a flexible temple to ensure a snug fit on all users. Unique wrap-around design for better

Provided with a clock on the temple to display month and year of manufacturing. Tested at elevated temperatures,

resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased robustness.

Tested for disinfection, increased robustness. Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance. Lens Scale No. Clear: 3-1.2 Weight: 26 gms approx Lens Shade Options: Clear, Smoked, Clear Antifog Certified to: EN 166:2001, EN 167:2001, EN 172:1994, EN 168:2001

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

#### EXECUTIVE'S CHOICE ES005 (CLEAR)



Extremely light in weight with a hardcoated lens for scratch resistance. Wrap-around design for better coverage. Adjustable temple length within a range of 14mm.

Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased robustness. Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance. Lens Scale No. Clear: 3-1.2 Weight: 26 gms approx Lens Shade Options: Clear, Clear antifog, Smoked Certified to: EN 166:2001, EN 167:2001, EN 172:1994, EN 168:2001

#### CONSTRUCTION WORKERS CHOICE ES001 (CLEAR) (PK))

KARAM



Extremely light weight with a flexible temple to ensure a snug fit on all users. Unique wrap-around design for better coverage.

Provided with a clock on the temple to display month and year of manufacturing. Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased robustness.

Tested for disinfection, increased robustness. Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance. Lens Scale No. Clear: 3-1.2 Weight: 26 gms approx Lens Shade Options: Clear, Smoked, Clear Antifog Certified to: EN 166:2001, EN 167:2001, EN 172:1994, EN 168:2001

KWAZULU-NATAL +27 31 880 1639

kzn@saharaworkwear.com









Extremely light weight with a flexible temple to ensure a snug fit on all users. Unique wrap-around design for better coverage. Provided with a clock on the temple to display month and year of manufacturing. Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased robustness. Material of Lens: High Impact resistant lens for scratch resistance. Lens Scale No. Clear: 3-1.2 Weight: 26 gms approx Lens Shade Options: Clear, Smoked, Clear Antifog Certified to: EN 166:2001, EN 167:2001, EN 172:1994, EN 168:2001

### CHEMICAL ENVIRONMENT USER'S CHOICE ES009



Extremely light weight with a flexible temple to ensure a snug fit on all users. Unique wrap-around design for better coverage. Smoked lens model also provides optimum protection against harmful UV radiation. Provided with a clock on the temple to display month and year of manufacturing. Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for disinfection, increased robustness. Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance. Lens Scale No. Smoked: 5-3.1 Weight: 26 gms approx Lens Shade Options: Clear, Smoked, Clear Antifog Certified to: EN 166:2001, EN 167:2001, EN 172:1994, EN 168:2001



Extremely light weight with a flexible temple to ensure a snug fit on all users. Unique wrap-around design for better coverage. Smoked lens model also provides optimum protection against harmful UV radiation. Provided with a clock on the temple to display month and year of manufacturing. Tested at elevated temperatures, resistant to corrosion, resistant to ignition and optically tested. Tested for displaying incorrected to the tested for disinfection, increased robustness. Material of Lens: High Impact resistant optical class 1 polycarbonate hard-coated lens for scratch resistance. Lens Scale No. Smoked: 5-3.1 Weight: 26 gms approx Lens Shade Options: Clear, Smoked, Clear Antifog Certified to: EN 166:2001, EN 167:2001, EN 172:1994, EN 168:2001



Comes with a unique wrap-around design Smoked lens model also provides optimum protection against harmful UV radiation. Has a soft PVC shroud around the lens to ensure 100% sealing of the eyes against chemical and liquid splashes. The shroud has 4 ventilation caps, 2 on the top and 2 at the bottom of the frame.

These are special one-way vents which allow air movement while keeping harmful

liquid-splashes out Has a fully adjustable elastic head-band for a snug fit. Tested at elevated temperatures,

resistant to ignition and optically tested. Tested for disinfection, increased

robustness.

Material of Lens: High Impact resistant optical class 1 lens. Lens Scale No. Clear: 3-1.2, Smoked: 5-3.1 Weight: 70 gms approx Lens Shade Options: Clear, Smoked

### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

KWAZULU-NATAL



# FACE PROTECTION

### FACE SHIELD ELVEX LENS LEXAN CLR FS-18L FACE SHIELD ELVEX LENS LEXAN GRN FS-18LG FACE SHIELD CLR 1MM BROWGUARD = \'\_ ⇒ MAXI Lexan® (trademark of SABIC IP), is a superior quality, optical grade, highly impact resistant and heat tolerant material (up to 129°C) with limited scratch Lexan® (trademark of SABIC IP), is a superior quality, optical grade, highly impact resistant and heat tolerant material (up to 129°C) with limited scratch resistance. Lexan® offers UV absorption characteristics 99% between 180-380 nm. Flip up brow guard with adjustable fastening side knobs. Headgear with automatic locking ratchet adjustment system. Tricot cushion sweatband. 5 Point adjustment on the crown strap. 3-point lens attachment. One size fits all: 50cm - 64cm. 80g 305mm x 205mm x 1mm polycarbonate lens. 94g 305mm x 240mm x 1mm deep polycarbonate lens. Lexan® offers UV absorption characteristics 99% between 180-380 nm. Lexan® face shields offer optimal performance in a variety of sizes and Lexan® face shields offer optimal performance in a variety of sizes and application types 1mm polycarbonate lens. 94g 305mm x 240mm x 1mm deep polycarbonate lens. Flip up brow guard with a 3-point adjustment on the resting position. Materials: Polypropylene brow guard, side adjustments, gear housing, and gears. HDPE headband. Acetyl side screws. **COMPLIANCE:** 1mm Polycarbonate LEXAN 9030TG, DIN EN 166: 2001, Annex II of the PPE-Directive 89/686/EEC, Optical class: 1, Protection against high-speed particles, medium energy impact(B) application types FACE SHIELD GRN 3MM ALUM ATTACHMENT FACE SHIELD CLR 3MM ALUM CAP ATTCH. FSC/3G



Aluminium Cap Attachment complete with Clear Visor 3mm Clear Lens The poly-carbonate lenses are Chemical Resistant



Heat-reflective face shields are intended to shield the entire face from a range of heat hazards. Specific hazards associated with heat include high temperatures, splash from molten metal, and hot sparks. Aluminium Cap Attachment Two Aluminium frames bolted together with a ratchet system that can swivel ±180° backwards. Fits most safety Jockey Caps that are manufactured in S.A. Visor - 3mm Green Plexiglass The 3mm Green Plexiglass Visor is moulded to an Aluminium frame shape. The visor is bolted to the Aluminium frame to shield the entire face from a range of The visor is bolted to the Aluminium frame with five bolts. It has a working temperature of ±80°. Visor Size : 400x250x3mm

GAUTENG

+27 11 760 2185 info@saharaworkwear.com

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

KWAZULU-NATAL



# FALL PREVENTION



SANS 50354 / 50355 / 50361 / 50362 This is a standard harness with nonspecialised features developed specifically for women. The double leg lanyard improves safety to the wearer by allowing them to remain attached to at least one anchor point at all times. Webbing: 45mm UV-resistant polyester webbing with a min. breaking load of 2,6 tonnes.

Chest Strap: 45mm UV-resistant elastic webbing. Buckles: Interlocking, corrosion-resistant steel buckles.

Hooks: Corrosion-resistant, Scaffolding Hooks with a 50mm gate opening. Adjustments: Leg and Elasticated Chest Straps. Sizing: One Size Fits All



SANS 50354 / 50355 / 50361 / 50362 This is a standard harness with nonspecialised features develop specifically

for women. The double leg lanyard improves safety to the wearer by allowing them to remain attached to at least one anchor point at all times. Webbing: 45mm UV-resistant polyester

webbing with a min. breaking load of 2,6 tonnes.

Chest Strap: 45mm UV-resistant elastic webbing. Buckles: Interlocking, corrosion-resistant steel buckles.

Hooks: Corrosion-resistant, Snap Hooks with a 20mm gate opening. Adjustments: Leg and elasticated chest

straps. Sizing: One Size Fits All





SANS 50354 / 50355 / 50361 / 50362 This is a belted harness with nonspecialized features specifically for safety to the wearer by allowing them to remain attached to at least one anchor

point. Webbing: 45mm UV-resistant polyester webbing with a min. breaking load of 2,6 tons.

Chest Strap: 45mm UV-resistant elastic webbing.

Buckles: Interlocking, corrosion-resistant steel buckles. Hooks: Corrosion-resistant, Scaffolding

Hooks with a 50mm gate opening. Adjustments: Shoulder, Leg, Waist and Elasticated Chest Straps Sizing: One Size Fits All

### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

# BELTED HARNESS: DOUBLE LEG LANYARD WITH SNAP HOOKS HARN02211



SANS 50354 / 50355 / 50361 / 50362 This is a belted harness with non-specialised features developed

specifically for women. The double leg

allowing them to remain attached to at least one anchor point at all times. Webbing: 45mm UV-resistant polyester webbing with a min. breaking load of 2,6 tonnes.

Chest Strap: 45mm UV-resistant elastic webbing.

Webbing. Buckles: Interlocking, corrosion-resistant steel buckles. Hooks: Corrosion-resistant, Snap Hooks with a 20mm gate opening. Adjustments: Shoulder, Leg, Waist and Elasticated Chest Straps Size Fire All Sizing: One Size Fits All

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

# STANDARD HARNESS: SINGLE LEG LANYARD WITH SNAP HOOK HARN01111



SAFETY

SANS 50354 / 50355 / 50361 / 50362 This is a standard harness with nonspecialised features developed specifically for women. Allow the individual to move freely without ever needing to disconnect from the anchor point. Webbing: 45mm UV-resistant polyester

webbing with a min. breaking load of 2,6

Chest Strap: 45mm UV-resistant elastic webbing. Buckles: Interlocking, corrosion-resistant steel buckles.

Hooks: Corrosion-resistant, Scaffolding Hook with a 50mm gate opening. Adjustments: Leg and elasticated chest

straps. Sizing: One Size Fits All

#### GAMMA – PN22(W)



Safety Harness with 3 Adjustments & 2 Attachment Points CED coating on all metal fittings for best Metal fittings capable of taking the salt spray test of more than 500 hours Retro-reflective thread Improvised registered webbing design Unique aesthetic registered stitching pattern Bigger dia lateral D-rings Unique label protector Ergonomic and durable ID plate

Heavy duty webbing Certification: EN 361:2002, AS/NZS 1891.1:2020, IS 3521(Part 1):2021



KWAZULU-NATAL +27 31 880 1639 kzn@saharaworkwear.com



# FALL PREVENTION



GAUTENG

+27 11 760 2185 info@saharaworkwear.com

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR KWAZULU-NATAL





+27 11 760 2185

info@saharaworkwear.com

#### **MADONNA - 51004**





Sizes: 3 - 8 Colours: Black with purple stitching Sole Shape: Standard SANS/ISO 20345 NRCS/9002/28776/0145 Upper: Full Grain Leather with synthetic underlay in the quarter area 4 Pair rust-resistant eyelet lace-up Lining & Socks: Special poodla-fibred Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency

Anti-static, non-woven in-sock for comfort and flexibility Anti-bacterial energiser top sock with EVA inserts at the ball and heel for enhanced

comfort and shock absorbency Midsole: Shank reinforcement for additional arch support Sole: Single density Polyurethane (Heat-resistance up to 95°C Toe Cap: Steel toe cap

#### SYDNEY - 51005



Sizes: 3 - 8 Colours: Black/Brown Sole Shape: Standard SANS/ISO 20345 NRCS/9002/28776/0135 Upper: Full Grain Leather Elastic side gussets with pull straps for ease of entering and exiting the boot Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency. Anti-static, non-woven inabsorbency, Anti-static, non-woven insock for comfort and flexibility, Anti-bacterial energiser top sock with EVA inserts at the ball and heel for enhanced comfort and shock absorbency Midsole: Shank reinforcement for additional arch support Sole: Single density Polyurethane (Heatresistance up to 95°C) **Toe Cap:** Steel toe cap

WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

#### **OPAL - 53003**



Sizes: 2 - 9 Colours: Black or Brown Colours: Black or Brown Sole Shape: Narrow SANS/ISO 20345 Upper: Full Grain Leather Padded tongue with half bellows for enhanced comfort, 7 Pair rust-resistant D-ring lace-up for quick removal of boot Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility Anti-bacterial energiser top sock with EVA inserts at the ball and heel for enhanced comfort and shock absorbency comfort and shock absorbency Midsole: Shank reinforcement for additional arch support Sole: Single density Polyurethane (Heat-resistance up to 95°C) Toe Cap: Steel toe cap

HEAT

CHEMICAL

#### <u> VENICE - 51002</u>



Sizes: 3 - 8 Colours: Black

Sole Shape: Standard SANS/ISO 20345 NRCS/9002/287766/0110 Upper: Full Grain Leather, Padded collar for enhanced comfort and support 4 Pair rust-resistant eyelet lace-up Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility Anti-bacterial energiser top sock with EVA inserts at the ball and heel for enhanced comfort and shock absorbency Midsole: Shank reinforcement for additional arch support Sole: Single density Polyurethane (Heat-resistance up to 95°C) Toe Cap: Steel toe cap Available in non-steel toe cap 51502(6 - 8 week lead time)

KWAZULU-NATAL





Sole Shape: Standard EN / ISO 20345 Upper: Full Grain Leather Padded Collar and tongue for enhanced comfort and support, 3 pair rust-resistant D-ring lace-up with 1 pair hooks for quick removal of boot Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility Anti-bacterial energizer top sock with EVA inserts at the ball and heel for enhanced comfort and shock absorbency Midsole: Shank reinforcement for arch support. Available with a Steel midsole – 54702 (6 - 8 week lead time) Sole: Dual Density PU/PU (Heat-resistant up to 95°C) Toe Cap: Steel toe cap NICOLE - 54001



Sizes: 2 - 9 Colours: Black Sole Shape: Standard EN / ISO 20345 NRCS/9002/287766/223 Upper: Full Grain Leather, Padded Collar from mesh fabric for enhanced comfort, breathability and support

breathability and support 4 pair punch hole lace-up Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility Anti-bacterial energizer top sock with EVA inserts at the ball and heel for enhanced comfort and shock absorbency

Midsole: Shank reinforcement for arch support. Available with a Steel midsole – 54701 (6 - 8 week lead time) Sole: Dual Density PU/PU (Heat-resistant

up to 95°C) Toe Cap: Steel toe cap

### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

#### **JENNIFER - 55005**



Sizes: 3 - 8 Colours: Black with Pink trim Sole Shape: Standard SANS/ISO 20345\_NRCS/9002/287766/0153

**Upper:** Full Grain Leather Padded Collar and tongue from mesh fabric for enhanced comfort, breathability and support, 5 pair rust-resistant eyelet lace-up

Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility, Antibacterial energizer top sock with EVA inserts at the ball and heel for enhanced

comfort and shock absorbency Midsole: Shank reinforcement for arch

support. Available with an anti-penetration midsole – 55605 (6-8 week lead time)

Sole: Dual Density PU/PU (Heat-resistant up to 95°C) Toe Cap: Steel toe cap

#### **YVONNE - 55013**



Colours: Black Sole Shape: Standard EN 20345

Upper: Genuine leather Barton Print Water Buffalo Hides, Padded collar and tongue for enhanced comfort and support, 4 pair

D-Ring lace-up Lining & Socks: The quarter lining is from an industrial ferrabelle non-woven

material, Special needle-fibre vamp lining for excellent perspiration absorbency Anti-static, nonwoven in-sock for comfort and flexibility

Midsole: A shank reinforcement is moulded into the midsole for additional Sole: Dual density PU/PU (Heat-resistance up to 95°C) Toe Cap: Steel toe cap

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR



BASI - 54092

**Upper:** Full Grain Leather, Padded Collar and tongue from mesh fabric for enhanced Configure from mean fabric for emfanction comfort, breathability and support 7 pair rust-resistant eyelet lace-up
 Lining & Socks: Special needle-fibred vamp lining for excellent perspiration absorbency, Anti-static, non-woven in-sock for comfort and flexibility Anti-bacterial energizer top sock with EVA inserts at the ball and heel for enhanced

comfort and shock absorbency Midsole: Shank reinforcement for arch support. Available with an anti-penetration midsole – 55606 (6-8 week

lead time) Sole: Dual Density PU/PU (Heat-resistant up to 95°C)

Toe Cap: Steel toe cap

KWAZULU-NATAL



**JASMINE - JAS** 



Sizes: 2, 3, 4, 5, 6, 7, 8 Colours: Black Absolute comfort and safety. The Jasmine offers extra collar padding for support, along with full ankle-height lacing for security. You'll never want to stop on site without them. SB | SRA Genuine Nubuck Split Buffalo Leather Steel toe cap Extra padded collar for comfort

#### DAISY - DAI



Sizes: 2, 3, 4, 5, 6, 7, 8 Colours: Black A slip on style safety boot for convenient wear. The Daisy offers secure and stylish comfort. SB | SRA Genuine Smooth Split Buffalo Leather Steel toe cap Dual density PU sole

NEON - NEO



Sizes: 2, 3, 4, 5, 6, 7, 8 Colour: Black The Neon combines traditional safety with a feminine, elegant and sleek design allowing women to stand head to head and heel to heel with their male colleagues. SB | SRA Lightweight and flexible Dual density PU sole Shock absorbent heel Slip Resistant

LILY - LIL



Sizes: 2, 3, 4, 5, 6, 7, 8 Colours: Black While providing an extra soft breathable inner lining and low cut comfort, the Lily offers a light weight experience for many more comfortable hours on the feet. SB | SRA Genuine Nubuck Split Buffalo Leather Genuine Nubuck Split Buffalo Leather Steel toe cap Extra padded collar for comfort

### IMAN LACE-UP - RE682



The Iman is an ultra-comfortable ladies lace-up safety shoe that features a high quality microfiber upper, 200J steel toe quality microfiber upper, 200J steel toe cap, slip resistant sole and electrostatic discharge technology (ESD). The Iman is ISO 20345 approved. **Colour:** Black and Pink **Shoe Size:** 2, 3, 4, 5, 6, 7, 8 **Gender:** Ladies **Material:** Microfiber **Technical Feature:** 200J Steel toe, Anti-static, Electrostatic discharge, Microfiber, Oil resistant, Shock absorbent, Slip resistant

resistant Industry: Construction, General Applications, Mining, Transport



KITO SLIP-ON - RE683

The Kito Slip-on Safety Shoe is an ultra-comfortable and elegant ladies safety shoe that features a 200J steel toe cap and slip resistant sole. High quality microfiber, polyurethane collar and an easy elasticated slip-on design. The Kito is ISO 20345 approved. Colour: Black and Pink Shoe Size: 2, 3, 4, 5, 6, 7, 8 Gender: Ladies Material: Microfiber Technical Feature: 200J Steel toe, Anti-static, Microfiber, Oil resistant, Shock absorbent, Slip resistant Industry: Agriculture, Contract labour, Fishing and Allied industries, Food, Concrel Applications, Hecspitality, General Applications, Hospitality, Janitorial services, Medical and Pharmaceutical, Motor industry, Production lines

### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

+27 31 880 1639 kzn@saharaworkwear.com

KWAZULU-NATAL





The Ladies light Industrial shoe features a modern, sleek and sporty designed upper which includes a combination of grey oxford mesh and a Nubuck back guard with TPU Trim resulting in excellent fit and comfort. It is a lightweight, stylish safety shoe with a 200J steel toe cap and electrostatic discharge properties (ESD). The Ladies Light Industrial shoe is The Ladies Light Industrial shoe is available in a men's colour option and is ISO 20345 approved. Colour: Grey Shoe Size: 2, 3, 4, 5, 6, 7, 8 Gender: Ladies

Material: Oxford mesh and Leather Technical Feature: 200J Steel toe, Anti-static, Electrostatic discharge, Microfiber, Oil resistant, Shock absorbent, Slip

resistant Industry: Engineering, Food, General Applications, Hospitality, Janitorial services, Medical and Pharmaceutical, Motor industry, Production lines, Transport

#### <u> THULI CHELSEA - RE940</u>

# REBEL SAFETY GEAR

The Thuli is an ultra-comfortable and elegant ladies safety chelsea boot that features a 200J steel toe cap, slip resistant sole and is heat resistant up to 120° Celsius. The Thuli is ISO 20345

Colour: Black and Pink Shoe Size: 2, 3, 4, 5, 6, 7, 8 Gender: Ladies Material: Microfiber Technical Feature: 200J Steel toe, Anti-static, Microfiber, Oil resistant, Shock absorbent, Slip resistant Industry: Agriculture, Chemical and petrochemical, Engineering, Fishing and Allied industries, General Applications, Hospitality, Mining, Refineries

#### LADIES RUGGED - RE22107



An important feature of this boot is its Wellmax non-metallic anti-penetration board which provides maximum protection. The polyurethane(PU) midsole and rubber outsole make this boot heat resistant up to an impressive 300 °C and has a SRA classification for slip resistance. They are ISO 20345 and NRCS approved.

Colour: black colour with stylish blue trim and grey accent Shoe Size: 2, 3, 4, 5, 6, 7, 8 Gender: Ladies

Gender: Ladies Material: Microfiber, Moulded polyurethane (PU), Rubber Technical Feature: 200J Composite Non-Metallic Toe Cap, Anti-penetration, Anti-static, Heat resistant 300°C, Microfiber, Oil resistant, Shock absorbent, Slip

Industry: Chemical and petrochemical, Engineering, General Applications, Mining, Refineries

#### NALA LACE-UP - RE129



The Nala is an ultra-comfortable ladies The Nala is an ultra-comfortable ladies lace-up safety boot that features a high quality microfiber upper, 200J steel toe cap and slip resistant sole. The Nala is a slim ultra-comfortable safety boot and is ISO 20345 approved. **Colour:** Black and Pink **Shoe Size:** 2, 3, 4, 5, 6, 7, 8 **Gender:** Ladies **Material:** Microfiber **Technical Feature:** 200J Steel toe, Anti-static, Oil resistant, Shock absorbent, Slip resistant

resistant Industry: Agriculture, Chemical and petrochemical, Construction, Fishing and Allied industries, General Applications, Mining, Motor industry

#### ZARI - RE974

REBEL



The Zari is an elegant ladies safety shoe that features a convenient and easy-touse strap with hook and loop tape in place of laces, a 200J steel toe cap and slip resistant sole. The Zari is an ultra-comfortable shoe that is ISO 20345 Colour: Black and Pink Shoe Size: 2, 3, 4, 5, 6, 7, 8 Gender: Ladies Material: Microfiber Technical Feature: 200J Steel toe, Anti-static, Microfiber, Oil resistant, Shock absorbent, Slip resistant Industry: General Applications, Janitorial services, Production lines

### BLACK WIDOW - LS03R



Heavy duty, heat resistant, ladies boot. Standard ISO 20345:2014 tested to ISO 20344:2014

4 sets of non-metal D-rings and 2 sets of speed-hooks for lacing Non-conductive, non-marking, slip and abrasion resistant sole

abrasion resistant sole 300 degree heat resistant outer sole Oil, acid, petrol & diesel resistant sole Size Range: 2-9 Ladies LOA Number: NRCS/9002/288043/0386 Specification: ISO 20345:2014 Applications: Heavy duty, Heat, Construction, Engineering, Agriculture and Industry Last/Fitting: Wide fitting Upper Material: Dual Density Rubber/Polyurethane Rubber/Polyurethane Toe Cap: Yes / 200 Joules Inner Sole: Yes / Arachna Comfort

GAUTENG

+27 11 760 2185 info@saharaworkwear.com

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

+27 31 880 1639 kzn@saharaworkwear.com

KWAZULU-NATAL



**CHARLOTTE - LS02R** 



Lightweight, ladies fitting, all round leather shoe. Standard ISO 20345:2011 tested to ISO 20344:2011 4 sets of D-rings for lacing Lightweight, anti-static, slip and abrasion resistant sole resistant sole Oil, acid, petrol & diesel resistant sole Size Range: 2-9 Ladies LOA Number: NRCS/9002/288043/0416 Specification: ISO 20345:2011 Applications: General, Construction, Engineering, Agriculture, Packaging and Warehousing Last/Fitting: Wide fitting Upper Material: Genuine Leather Sole Material: Dual Density Polyurethane Toe Cap: Yes / 200 Joules Inner Sole: Yes / Anti-static / Arachna Comfit Inner Sole Comfit Inner Sole

#### **GOLDEN ORB - LS08**



Stylish, super slip resistant, slip on super lightweight ladies boot (without a steel

toe cap). Standard ISO 20345:2014 tested to ISO 20344:2014

Easy to use slip-on with gusset elastic sides and pull-on tabs Lightweight, SRC super slip resistant sole,

non-condúctive and abrasion resistant sole

sole Heat resistant to 90 degrees centigrade Oil, acid, petrol & diesel resistant sole Size Range: UK 2-9 Ladies LOA Number: 02 Occupational Footwear Specification: ISO 20347:2014 Applications: Hospitality, Offices, Kitchens, Hotels, Laboratories, Agriculture, etc

etc. Last/Fitting: Ladies specific fitting Upper Material: Genuine leather with soft padded sports mesh cushioned lining Sole Material: Dual density polyurethane Toe Cap: None





Stylish ladies Chelsea shoe, super slip styrish tadles checked shoe, super slip resistant and super lightweight (without a steel toe cap). Standard ISO 20347:2014 (02 Occupational Footwear) Easy to use slip-on with gusset elastic sides

sides SRC super slip resistant and abrasion

Heat resistant to 90 degrees centigrade Oil, acid, petrol & diesel resistant sole Size Range: UK 2-9 Ladies LOA Number: 02 Occupational Footwear Specification: ISO 20347

Applications: Hospitality, Offices, Kitchens, Hotels, Laboratories, Agriculture Last/Fitting: Ladies specific fitting Upper Material: Genuine leather with soft

padded collar Sole Material: Dual density polyurethane Toe Cap: None

Inner Sole: Yes / Anti-static / ProFit ComFit PU Gel foam footbed

SILK - LS05

#### **REDBACK - LS04R**





Heavy duty, heat resistant, ladies shoe. Standard ISO 20345:2014 tested to ISO 20344:2014 3 sets of non-metal D-rings and 1 set of speed-hooks for lacing Non-conductive, non-marking, slip and abrasion resistant sole 300 degree beat resistant outer sole abrasion resistant sole 300 degree heat resistant outer sole Oil, acid, petrol & diesel resistant sole Size Range: 2-9 Ladies LOA Number: NRCS/9002/288043/0391 Specification: ISO 20345:2014 Applications: Heavy duty, Heat, Construction, Engineering, Agriculture and Industry Last/Fitting: Wide fitting Upper Material: Full Grain Leather Sole Material: Dual Density Rubber/Polyurethane Rubber/Polyurethane Toe Cap: Yes / 200 Joules Inner Sole: Yes / Arachna Comfort

### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

#### SCARLET - LS01R



Lightweight, ladies fitting, all round Standard ISO 20345:2011 tested to ISO 20344:2011 6 sets of D-rings for lacing Lightweight, anti-static, slip and abrasion resistant sole resistant sole Oil, acid, petrol & diesel resistant sole Size Range: 2-9 Ladies LOA Number: NRCS/9002/288043/0417 Specification: ISO 20345:2011 Applications: Construction, Engineering, Packaging, Warehousing, Manufacturing, General General

General Last/Fitting: Wide fitting Upper Material: Genuine Leather Sole Material: Dual Density Polyurethane Toe Cap: Yes / 200 Joules Inner Sole: Yes / Anti-static / Arachna Comfit Inner Sole

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR



Stylish, super slip resistant, slip on ladies

shoe. Standard ISO 20345:2014 tested to ISO 20344:2014

20344:2014 Easy to use slip-on with gusset elastic sides, SRC super slip resistant, non-conductive and abrasion resistant sole Heat resistant to 90 degrees centigrade Oil, acid, petrol & diesel resistant sole Size Range: UK 2-9 Ladies LOA Number: NRCS/9002/288043/0470 Specification: ISO 20345:2014 Applications: Multipurpose, General, Hospitality, Food & Beverage, Packaging & Warehouses, Office to Factory Floor. Last/Fitting: Ladies specific fitting Upper Material: Genuine leather with soft padded collar

Sole Material: Dual density polyurethane Toe Cap: Yes / 200 Joules Inner Sole: Yes / Anti-static / ProFit ComFit PU Gel Foam Footbed

KWAZULU-NATAL



+27 11 760 2185

info@saharaworkwear.com

# FOOTWEAR



+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR



GAUTENG

+27 11 760 2185

info@saharaworkwear.com

# FOOTWEAR



### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

#### WOMEN'S SOCKS -PSASB2R



Anti-bacterial with a high cotton content to help keep your feet dry.

> ONE SIZE FITS ALL > 74% Cotton > 24 % Polyamide Elastene > 2% Silver

#### MARINA BLACK BLACK GUMBOOT - MBBR





A ladies general purpose, calf-length PVC gumboot used in the agricultural and food processing industries. With an average weight of 1.4kg, they are hard wearing and have excellent grip and sole support. BLACK BLACK OCCUPATIONAL USE FEATURES: • Oil and acid resistant sole • Average weight of 1.4kg

Average weight of 1.4kg Available UK sizes: 3,4,5,6,7,8,9

KWAZULU-NATAL



#### MARINA BLACK BLACK SLIP ON CLOG - MBBGPCLG



BLACK BLACK SLIP ON CLOG A ladies general purpose PVC clog gumboot, used in the agricultural and food processing industries. With an average weight of 1kg, they are hard wearing and have excellent grip and sole support. FEATURES: • Average weight of 1kg Available UK sizes: 3,4,5,6,7,8,9

#### MARINA GREEN BLACK GUMBOOT - MGBGP



GREEN BLACK OCCUPATIONAL USE The green black Marina ladies generalpurpose, calf-length PVC gumboot used in the agricultural and food processing industries. With an average weight of 1.4kg, they are hard wearing and have excellent grip and sole support. Available UK sizes: 3,4,5,6,7,8,9

#### MARINA WHITE GREY GUMBOOT - MWG25



WHITE GREY OCCUPATIONAL USE + NITRILE A white grey Marina ladies generalpurpose, calf-length PVC gumboot used in the agricultural and food processing industries. With an average weight of 1.4kg, they are hard wearing and have excellent grip and sole support. Available UK sizes: 3,4,5,6,7,8,9

#### MARINA BLACK BLACK SLIP ON SHOE - MBBGPSHO



BLACK BLACK SLIP ON SHOE A ladies general purpose PVC shoe gumboot, used in the agricultural and food processing industries. With an average weight of 1kg, they are hard wearing and have excellent grip and sole support. FEATURES: • Average weight of 1kg Available UK sizes: 3,4,5,6,7,8,9

#### MARINA GREEN BLACK SLIP ON CLOG - MGBGPCLG



SLIP ON GUMBOOT CLOG The Marina ladies general-purpose green and black PVC slip-on clog gumboot, is ideal for use in the agricultural and food processing industries. With an average weight of 1kg, they are hard wearing and have excellent grip and sole support. FEATURES: • Average weight of 1kg Available UK sizes: 3,4,5,6,7,8,9

#### MARINA GREEN BLACK SLIP ON SHOE -MGBGPSHO







**FEATURES:** Average weight of 1kg **Available UK sizes:** 3,4,5,6,7,8,9

### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR KWAZULU-NATAL +27 31 880 1639

kzn@saharaworkwear.com



MARINA WHITE GREY SLIP ON CLOG - MWG25CLG	MARINA WHITE GREY SLIP ON SHOE - MWG25SH	STIMELA XP GUMBOOT - XBG25SM
WHITE GREY SLIP ON CLOG + NITRILE	WHITE GREY SLIP ON SHOE + NITRILE	
A ladies general purpose PVC clog gumboot, used in the agricultural and food processing industries. With an average weight of 1kg, they are hard wearing and have excellent grip and sole support. FEATURES: • Oil and acid resistant sole • Average weight of 1kg Available UK sizes: 3,4,5,6,7,8,9	The white-grey Marina ladies general- purpose PVC slip-on gumboot used in the agricultural and food processing industries. With an average weight of 1kg, they are hard wearing and have excellent grip and sole support. FEATURES: Oil and acid resistant sole Average weight of 1kg Available UK sizes: 3,4,5,6,7,8,9	METAL FREE BLACK GREY COMPOSITE TOE CAP + METATARSAL PROTECTOR GUMBOOT A full metal free, heavy-duty, knee-length PVC mining gumboot with safety toe protection. Offering a fully integrated metatarsal protector, this 2.35kg boot (average weight) is hard-wearing and has excellent grip and sole support. Also available without the Textile Mid Sole.
		FEATURES: Knee-length Safety toe protection Average weight of 2.35kg Metatarsal protection Available UK sizes: 4,5,6,6.5,7,8,9,10,10.5,11,12,13
STIMELA XP GUMBOOT - XBG25SPM	STIMELA XP GUMBOOT - XBG25SMS	STIMELA XP GUMBOOT - XBG25SPMS
METAL FREE BLACK GREY COMPOSITE TOE CAP + MIDSOLE + METATARSAL PROTECTOR A full metal free, heavy duty, knee-length PVC mining gumboot with safety toe protection. Offering an anti-penetration steel midsole and a fully integrated metatarsal protector, this 2.35kg boot (average weight) is hard wearing and has excellent grip and sole support. Also available without the Textile Mid Sole. <b>FEATURES:</b> Knee-length Safety toe protection Midsole Protection Average weight of 2.35kg Metatarsal protection <b>Available UK sizes:</b> 4,5,6,6.5,7,8,9,10,10.5,11,12,13	BLACK GREY STEEL TOE CAP + METATARSAL PROTECTOR A heavy duty, knee-length PVC mining gumboot with safety steel toe protection an a fully integrated metatarsal protector, this 2.35kg boot (average weight) is hard wearing and has excellent grip and sole support. FEATURES: • Knee-length • Safety toe protection • Average weight of 2.35kg • Metatarsal protection Available UK sizes: 4,5,6,6.5,7,8,9,10,10.5,11,12,13	BLACK GREY STEEL TOE CAP + MIDSOLE + METATARSAL PROTECTOR A heavy duty, knee-length PVC mining gumboot with safety toe protection. Offering an anti-penetration steel midsole and a fully integrated metatarsal protector, this 2.35kg boot (average weight) is hard wearing and has excellent grip and sole support. Also available without the steel Mid Sole. <b>FEATURES:</b> Knee-length Safety toe protection Midsole protection Average weight of 2.35kg Metatarsal protection <b>Available UK sizes:</b> 4,5,6,6.5,7,8,9,10,10.5,11,12,13
GAUTENG	WESTERN CAPE	KWAZULU-NATAL

+27 11 760 2185 info@saharaworkwear.com

### WESIERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com



# FOOTWEAR


STIMELA XP GUMBOOT - XWG25SM	STIMELA XP GUMBOOT - XWG25SPM	STIMELA XP GUMBOOT - XWG25SMS
WITH AND	WETAL FREE WHITE GREY COMPOSITE TOE CAP + MIDSOLE + METATARSAL PROTECTORA full metal free, heavy-duty, knee-length PVC mining gumboot with safety toe protection. Offering an anti-penetration midsole and a fully integrated metatarsal protector, this 2.35kg boot (average weight) is hard-wearing and has excellent grip and sole support.A tour metal free, heavy-duty, knee-length PVC mining gumboot with safety toe 	<image/> WHITE GREY STEEL TOE CAP +         METATARSAL PROTECTOR         A beavy duty, knee-length PVC mining gumboot with safety toe protection and a fully integrated metatarsal protector, this 2.35kg boot (average weight) is hard wearing and has excellent grip and sole support.         EATURESE         •       Safety toe protection         •       Metatarsal protector         •       Safety toe protection         •       Metatarsal protection         •       Metatarsal protection         •       Metatarsal protection         •       Safety toe protection         •       Metatarsal protection         •
STIMELA XP GUMBOOT - XWG25SPMS	DURALIGHT LADIES 1 - F1689	DURALIGHT LADIES 2 - F1681
	VOLIS STABOL OF CONFIDENCE	
and the second se		
<ul> <li>WHITE GREY STEEL TOE CAP + MIDSOLE + METATARSAL PROTECTOR</li> <li>A heavy duty, knee-length PVC mining gumboot with safety toe protection.</li> <li>Offering an anti-penetration steel midsole and a fully integrated metatarsal protector, this 2.35kg boot (average weight) is hard wearing and has excellent grip and sole support.</li> <li>Also available without the Steel Mid Sole.</li> <li>FEATURES:</li> <li>Knee-length</li> <li>Safety toe protection</li> <li>Midsole protection</li> <li>Average weight of 2.35kg</li> <li>Metatarsal protection</li> <li>Available UK sizes: 4,5,6,6.5,7,8,9,10,10.5,11,12,13</li> </ul>	White upper with white sole (F1689) FEATURES PVC upper for optimum flexibility and abrasion resistance Durable PVC sole Lightweight for enhanced comfort and reduced fatigue Nylon liner allows for easy cleaning and quick drying for maximum hygiene Without STC (soft toe) Certified according to accreditation 20347 SIZES: RSA 3-12 WERSTERN COOPE	<ul> <li>White upper with red sole (F1681) <i>EATURES</i> <ul> <li>Nitrile PVC upper for maximum durability</li> <li>Nitrile PVC sole for ultimate durability and protection against blood, oils and chemicals</li> <li>Lightweight for enhanced comfort and reduced fatigue for long hours on your feet</li> <li>Nylon liner allows for easy cleaning and quick drying for maximum hygiene</li> <li>Without STC (soft toe)</li> </ul> </li> <li>Certified according to accreditation 20347</li> <li>SIZES: RSA 3-12</li> <li>Import resistance         <ul> <li>Import resistance</li> </ul> </li> </ul>

+27 11 760 2185 info@saharaworkwear.com

+27 21 518 0959 coastal@saharaworkwear.com

COPYRIGHT © 2024 SAHARA WORKWEAR





+27 11 760 2185 info@saharaworkwear.com +27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR



SAHARA FLEX 6009707950360S	SAHARA RX 6009707955877	PHYNOMIC FOAM 60050
SAHARA WORKWEAR UR WEAR WE WE WE WE WE WE WE WE WE WE WE WE WE WE WE W	Style Type: Nylon glove with latex coating Colours: Red/Black Size: 7-11	Wechanical Protection Knitted cuff Palm and fingertips coating with aqua polymer foam coating Size: 5-12
PHYNOMIC XG 60070	PHYNOMIC WET 60060	<b>UNIPUR - 6639</b>
UVEX Mechanical Protection Knitted cuff Aqua-polymer xtra grip foam coating on palm and fingertip Size: 6-12	UVEX Mechanical Protection Knitted cuff Aqua-polymer foam coating on palm and fingertips Size: 6-12	UVEX Mechanical Protection PU Finger-coated, Grey on grey, nylon knitwrist General purpose -wet / dry Size: 6-11
UNILITE - 6605 UNILITE - 6605 UNILITE - 6605 Mechanical Protection Lightweight knitted glove with breathable nitrile foam coating Size: 6-11	UNIGRIP PL - 6628 UNIGRIP PL - 6628 Mechanical Protection PE knitted with rough latex coating Size: 7-11	UNILITE - 6610F UNILITE - 6610F UNILITE - 6610F UNILITE - 6610F UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UNICE UN
GAUTENG +27 11 760 2185 info@saharaworkwear.com	WESTERN CAPE +27 21 518 0959 coastal@saharaworkwear.com	KWAZULU-NATAL +27 31 880 1639 kzn@saharaworkwear.com







C300 FOAM - 60544	UNIDUR - 6659	ATHLETIC D5 XP - 60030
uvex	uvex	uvex
Cut Protection Foam HPE coating Bamboo viscose / Dyneema® Glass / polyamide softgrip Moisture repellent CUT LEVEL C Size: 7-11	Cut Protection Foam Polyurethane coating for dry and slightly damp areas CUT LEVEL C Size: 6-11	Cut Protection Additional thumb reinforcement Certified in line with EN 388 (4 X 4 3 D) Very flexible safety gloves with excellent fit Size: 6-12
ARC PROTECT G1 - 60838	POWER PROTECT V1000 ELECTRICIANS 60840	IMPACT 1 - 6059807
uvex		uvex
Heat Protection Outstanding tactile feel Excellent protection against thermal discharge Very pleasant on the skin thanks to its cotton content Size: 7-11	Heat Protection Length 41 cm EN 60903: 2003 IEC 60903: 2014 (Class O/RC) Anatomical fit Flexible, good grip even at low temperatures Flexible at cold temperatures Mineral oil- resistant Size: 7-11	Cut & Impact Protection NBR Coating with grip-finish yellow/black HPPE / glass / nylon Base glove CUT LEVEL 5 Size: 7-11
RIG LIZZARD - 2025	THIN LIZZIE - 2090X	EXT RESCUE BARRIER - 4014
uvex	uvex	uvex
Cut & Impact Protection SuperFabric® protection zone CUT LEVEL 5 Size: 6-12	Cut & Impact Protection CUT LEVEL 5 Size: 5-12	Cut & Impact Protection mpact protection Bloodborne pathogen resistance CUT LEVEL 5 Size: 7-12
GAUTENG	WESTERN CAPE	KWAZULU-NATAL
+27 11 760 2185	+27 21 518 0959	+27 31 880 1639

coastal@saharaworkwear.com

kzn@saharaworkwear.com

+27 11 760 2185 info@saharaworkwear.com



#### HELIX® 2076 - 2076



Cut & Impact Protection Knit: 13-gauge HPPE and steel fiber blend shell for 360° cut protection. Coating: Polyurethane palm for superior grip and abrasion resistance Protection: ANSI/ISEA level A6 cut resistance. Features: Elastic knit wrist to block dirt and debris, seamless construction for comfort & breathability Size: 6-13

#### SHARPSMASTER II - 9014





Cut & Impact Protection Needlestick resistance. SuperFabric® protection zone. Cotton blend with rubber latex coating. CUT LEVEL 5 Size: 6-10

#### OIL GLOVE - WG510



A nitrile glove; double coated with nylon liner and knitwrist cuff. Excellent for general use or oily environments. Excellent dexterity and grip; and double dip reduces oil breakthrough. Size: 7-11

> GAUTENG +27 11 760 2185 info@saharaworkwear.com

#### POINTGUARD® ULTRA 9032-9032



Cut & Impact Protection Protection: SuperFabric® layers offer top needlestick and cut resistance (ANSI/ISEA Cut Level A9, Needlestick Level 5) Visibility: 15-gauge hi-vis polyester shell Grip: Sandy nitrile three-quarter knuckle coating for superior wet grip and abrasion resistance. Features: Knit wrist blocks dirt and debris, seamless construction for enhanced comfort Size: 7-13

#### HELIX® 2062 - 2062

# 

Cut & Impact Protection Shell: Core9™ 13-gauge HPPE, steel, and fiberglass blend for ANSI/ISEA Level A9 cut protection. Coating: Flexible sandy nitrile palm for superior grip and abrasion resistance. Visibility: Hi-vis back enhances visibility and compliance. Features: Knit wrist prevents dirt and debris entry Size: 6-11

#### OIL PLUS GLOVE - WG518W



Coating: Double nitrile for exceptional grip and strength in dry or wet conditions. Liner: 15-gauge nylon. Technology: Wonder Grip Technology™ for protection with wet, greasy, or oily elements. Features: Durable, abrasion-resistant, soft finish for dexterity and minimal hand fatigue Size: 7-10

WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

#### FIREARMOR® SR-X® 8180-8180



Cut & Impact Protection Structural firefighting glove made with cow suede leather. Extended gauntlet cuff for added protection against debris. Reinforced thumb saddle and palm for increased durability and abrasion resistance. NFPA 1971:2018 certified H2X+™ FR moisture barrier (interior layer) 100% Nomex® knit inner liner for 360° heat resistance (TPP>60) Size: 6-13

#### FLEX GLOVE - WG500



Wonder Grip Flex features the original Wonder Grip Nitrile coating; which has a single nitrile coating and 13-gauge nylon liner. Wonder Grip Flex is an excellent; basic protective glove. Moreover; Flex focuses on comfort. Size: 7-11



A nitrile glove; triple coated with nylon liner and gauntlet cuff. Excellent for ultrawet or oily environments. Gauntlet cuff provides extra protection; while still maintaining excellent dexterity and grip. Size: 7-10

KWAZULU-NATAL +27 31 880 1639 kzn@saharaworkwear.com





GAUTENG +27 11 760 2185 info@saharaworkwear.com

### heavy loads. Size: 6-11

WESTERN CAPE +27 21 518 0959 coastal@saharaworkwear.com

COPYRIGHT © 2024 SAHARA WORKWEAR

KWAZULU-NATAL +27 31 880 1639 kzn@saharaworkwear.com



MAXIFLEX ACTIVE 34-814

# HAND PROTECTION

MAXICUT ULTRA 44-3745



**MAXICUT - 34-450** 

+27 11 760 2185 info@saharaworkwear.com +27 21 518 0959

coastal@saharaworkwear.com

COPYRIGHT © 2024 SAHARA WORKWEAR

+27 31 880 1639 kzn@saharaworkwear.com

Drome





+27 11 760 2185 info@saharaworkwear.com +27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR



CHAIN MAIL RTCMG-01	RUBBER HOUSEHOLD DG-HS-Y	CHEMICAL NITRILE 0056
Stainless steel chain mail glove. Ambidextrous. Wrist length. Washable. Tapered fit design. 20mm Colour coded fastening wrist band. Supplied with glove tensioner Sizes: XS-XL	Diamond pattern palm provides grip. 10cm Flute cuff allows the glove to breathe and provides a good seal over chemical protective suit or on hands. Diamond pattern wrist cuff and flock lining assists with ease of removal of gloves. Flock lined, reusable. Waterfall yellow latex with wiring thumb. Diamond pattern palm and wrist. Cotton flock lined latex Sizes: S-XL	Green Nitrile unsupported (0.38mm) thick. Micro flock lined for comfort. Textured palm, fingers and partially on the wrist for grip. Washable. Straight cuff. 33cm length Resistant to: K: Sodium Hydroxide 40%, L: Sulphuric Acid 96%, J: n-Heptane. Straight cuff Sizes: 6 - 10
NITRILE FULLY DIPPED         NITRILE 0921         Image: Constraint of the second secon		
liner. Rib cuff Sizes: 7 - 10		
GAUTENG	WESTERN CAPE	KWAZULU-NATAL
+27 11 760 2185 info@saharaworkwear.com	+27 21 518 0959 coastal@saharaworkwear.com copyright © 2024 sahara workwear	+27 31 880 1639 kzn@saharaworkwear.com



### HEAD PROTECTION



High impact resistant shell. Assembled weight: Standard harness 284g, plastic ratchet harness 306g, webbing ratchet harness 300g . One size fits all. 6 Point suspension harness attachment. Harness nape strap adjustment from 50cm to nape strap adjustment from 50cm to 64cm. Available in the following: a. 6 pin buckle fastener b. Auto-locking ratchet c. Auto-locking ratchet and webbing. 40mm Peaked brim, 270° Gutter, 2 Accessory slots, 3 Lugs for chinstraps. 2 Year UV stabilised shell. **Materials:** Poly Propylene (PP) Shell, Poly Ethylene (LLDPE) 2-part harness, Tricot foam cushion sweatband. **Shell colours:** White, Royal Blue, Yellow, Orange, Red, Green, Lime, Grey, Sasol Blue, Bright Pink, Hi Viz Lemon, Sun Yellow, Maroon, Brown, Purple, Navy and Yellow, Maroon, Brown, Purple, Navy and Black. Harness colour: Natural . Sweatband colour: Natural . Sweatband colour: Black COMPLIANCE: SABS Mark certification: 4886/12692, SANS 1397:2003 standard complient, Department of Minerals and Energy GME Approved HH 2006-03-07 HH 2006-03-08 Ÿ 440 VAC insulated Ÿ Droudly mode in South Africa Proudly made in South Africa



High impact resistant shell. Assembled weight: Standard harness 278g, plastic ratchet harness 300g, webbing ratchet harness 294g One size fits all 6 Point

suspension harness attachment Harness nape strap adjustment from 50cm to 64cm. Available in the following: a. 6 pin buckle fastener b. Auto-locking ratchet c. Auto-locking ratchet and webbing 20mm Peaked brim 270° Gutter 2 Accessory slots 3 Lugs for chinstraps 2 Year UV stabilised shell **Materials:** Poly Propylene (PP) Shell, Poly Ethylene (LLDPE) 2-part harness, Triot from surphone (Shell)

Tricot foam cushion sweatband **Shell** colours: White, Royal Blue, Yellow, Orange, Red, Green, Lime, Grey, Sasol Blue, Bright Pink, Hi Viz Lemon, Sun Yellow, Maroon, Brown, Purple, Navy and Black Harness colour: Natural

Sweatband colour: Black

**COMPLIANCE:** SABS Mark certification: 4886/12692 SANS 1397:2003 standard complient Department of Minerals and Energy GME Approved HH 2006-03-07 HH 2006-03-08 440 VAC insulated Proudly made in South Africa

SAFETY HAT C/W LAMP BRACKET



64cm. Available in the following: a. 6 pin buckle fastener b. Auto-locking ratchet c. Auto-locking ratchet and webbing 40mm full brim 2 Accessory slots 2 Lugs for chinstraps 2 Year UV stabilised shell **Materials:** Poly Propylene (PP) Shell, Poly Ethylene (LLDPE) 2-part harness, Tricot foam cushion sweatband Shell colours: White, Royal Blue, Yellow, Orange, Red, Green and Grey Harness colour: Natural Sweatband colour: Black

INDUSTRIAL SAFETY HAT -FULL BRIM 291C

SAFECO

SABS

the drug GME Approved HH 2006-03-07

**COMPLIANCE:** SABS Mark certification: 4886/12692 SANS 1397:2003 standard complient Department of Minerals and Energy GME Approved HH 2006-03-07 HH 2006-03-08 440 VAC insulated Proudly made in South Africa

### DOUBLE CROWN FULL BRIM HATS 291RWDC



High impact resistant shell. Assembled weight: 516g One size fits all 6 Point suspension ratchet webbing harness attachment Liner nape strap adjustment from 50cm to 64cm. Metal lamp bracket & cable clip 40mm full brim 2 Accessory slots 2 Lugs for chinstraps 2 Year UV stabilised shell Materials: Poly Propylene (PP) Shell, Poly Ethylene (LLDPE) 2-part harness, Tricot foam cushion sweatband Shell colours: White, Royal Blue, Yellow, Orange, Red, Green and Grey Harness colour: Natural Sweatband colour: Black COMPLIANCE Ÿ Ÿ Ÿ SABS Mark certification: 4886/12692 SANS 1397:2003 standard complient Department of Minerals and Energy GME Approved HH 2006-03-07 HH 2006-03-08 Proudly made in South Africa

KWAZULU-NATAL +27 31 880 1639 kzn@saharaworkwear.com



SANS 1397 the drue GME Approved

Industrial safety cap Peaked brim 6 point suspension harness 3 harness options: standard, ratchet plastic Colours: White, Royal Blue, Yellow, Orange, Red, Green, Lime, Grey, Sasol Blue, Bright Pink, Hi Viz Lemon, Sun Yellow, Maroon, Brown, Purple, Navy and Black Plastic (Red Poly Propylene (PP) lamp brackets & cable clip.) Metal (Electroplated mild steel lamp bracket & Red Poly Propylene (PP) cable clip) Fastened with nickel-cadmium rivets Does not provide VAC 440 insulation COMPLIANCE: SABS Mark certification: 4886/12692 SANS 1397:2003 standard compliant Department of Minerals and Energy GME Approved HH 2006-03-07 HH 2006-03-08 440 VAC insulated Proudly made in South Africa

#### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

B SABS SANS 1397 the dma GME Approved Industrial safety hat

SAFECO

Full brim 6 point suspension harness 3 harness options: standard, ratchet plastic & ratchet webbing SABS SANS 1397 compliant DMRE Approved Shell colours: White, Royal Blue, Yellow, Orange, Red, Green and Grey Plastic (Red Poly Propylene (PP) lamp brackate & cable olin ) or matel brackets & cable clip.) or metal (Electroplated mild steel lamp bracket & Red Poly Propylene (PP) cable clip) lamp bracket

Fastened with nickel-cadmium rivets Does not provide VAC 440 insulation COMPLIANCE: SABS Mark certification: 4886/12692 SANS 1397:2003 standard complient Department of Minerals and Energy GME Approved HH 2006-03-07 HH 2006-03-08 440 VAC insulated Proudly made in South Africa

WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR



# HEAD PROTECTION

# ikki

NIKKI SAFETY CAP - 761

ABS shell 4-point, lightweight, comfort suspension system providing additional shock absorption Unique suregrip one handed fastening system Fully adjustable to head sizes from 50-64cms to ensure non-slip grip on head Permasweat head band for added comfort High visibility rear insert for added comfort High visibility rear insert for added safety Meets requirements of SANS 1397:2003 18 Cal/cm<sup>2</sup> Tested against ASTM F2178 for Arc Flash protection Meets requirements of SANS 724:2009 Tested to 1000V rating Government Mining Engineer approved for Government Mining Engineer approved for use in mines. SABS approved with Mark Scheme No. 6921 Made in South Africa





Safety helmet with slot on the front for helmet lights Side Euroslot adapters (30 mm) for attaching earmuffs and the uvex pheos Available in: white, yellow, orange, red, green, blue Three variable air vents for maximum

ventilation Suspension harness with wheel ratchet for variable width adjustment

Six-point textile band attachment ensures

optimal fit and comfort Meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash

#### PHEOS ALPINE HELMET -1499



Multifunctional helmet for working at heights and rescue operations. heights and rescue operations. Safety helmet with slot on the front for helmet lights. Side Euroslot adapters (30 mm) for attaching earmuffs or the uvex pheos visor system Options for attaching head torches, goggles and face protection Six-point textile band attachment ensures ontimal fit and great comfort

optimal fit and great comfort Suspension harness with wheel ratchet for variable width adjustment Delivered as standard with a black PU sweatband (art. no. 9760.009); there is also an option of a light sweatband made of synthetic leather (art. no. 9760.005) Meets standard EN 397 and additional

requirement for very low temperatures (-30 °C) Firmly riveted four-point chin strap for use in accordance with EN 12492 Chin strap included (art. no. 9790.005) for use in accordance with EN 397 Light ABS helmet shell offers high level of protection and durability

HARD HATS DH-HH

BLUE

YELLOW





Heat Hero Hard Hat option for work near furnaces and welding operations Very high Temperature +190°C (Shock absorption) New DMRE Certified 100% Virgin HDPE Exceed the applicable requirements as outlined in SANS 1397:2003. Certificate issued by the Accredited Test Laboratory MASC MS/21-8355 Integrated cap lamp bracket with 2 positions Cable management system Exceptional impact protection Optional chin strap attachment points Side slots to accommodate face/hearing protection Adjustable headband with large ratchet for

quick, single-handed adjustment

#### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

### ARC HARD HAT DH-ARCHHSG-18



TYPE 1 white, non-vented industrial hard hat with UV (Ultraviolet), inhibitor protector

Protects against impact, penetration and exposure to high voltage conductors Dielectric protection up to 20,000 volts (phase to ground) 4-point quick fit suspension, with double straps for shock absorption Adjustable Fast-Trac III rachet suspension

Fixed stitched sweat band Side slots for integration with face and

hearing protective equipment Medium shell, that is fully adjustable to fit head sizes between 52cm – 64cm

Complies with the following standards: ANSI/ISEA Z89.1-2014, CSA Z94.1-2015 Composition: HDPE ( High Density Polyethylene) Suitable For Use: General use

Suitable For Use: General use.

Manufacturing, Electrical Purposes, Utilities

#### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

BLACK Polypropylene copolymer hard hat Retractable ventilation holes Ratchet type adjustment for easy fitment 2-Point adjustable webbed polyester chin strap Side slots for fitment of face & hearing PPE

8-Point suspension within the shell provides optimum shock absorption

Composition: Polypropylene copolymer hard hat Rating: Anti-static & tested for electrical isolation at 2000 volts

Complies with the requirements of SANS 1397:2003, Industrial Safety Helmets Certified to EN 397:2012+A1:2012, Industrial Safety Helmets MASC 20-8361 approved Mining and MASC 20-8361 approved, Mining and Surface Certified as per 2015/021934/07 CE Approved

KWAZULU-NATAL



# HEAD PROTECTION

28 CAL ARC ERGOS INTEC HELMET ARC ERGOS-INTEC	HARD HAT WITH LAMP MOUNT DH-HHCL-W	MULTIFUNCTIONAL BUFFS
Electrically insulated helmet with integrated retractable visor & chin protection         Provides safety against thermal hazards of an electric arc & projected droplets of molten metal         Electrical insulation 1000V AC & 1500V DC         ATPV 28 cal/cm2         Conforms to:         EN 166:2001         EN 170:2002         EN 397:2012 + A1:2012         GS-ET-29:2011         ASTM F2178-17b	Polypropylene copolymer hard hat Retractable ventilation holes Ratchet type adjustment for easy fitment 2-Point adjustable webbed polyester chin strap Side slots for fitment of face & hearing PE 	<ul> <li>White 38gsm / Colours 35gsm / Camo and SA 38gsm</li> <li>100% Polyester Multifunctional Branding Area: 450 x 250mm Available Sizes: One Size Fits Most</li> </ul>

+27 11 760 2185 info@saharaworkwear.com

GAUTENG

WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

+27 31 880 1639 kzn@saharaworkwear.com





Disposable earplugs with a compact, ergonomic design Perfect for narrow and smaller ear canals. Colour: light orange. Version without cord Comfort features Patented x-grip technology reduces contact pressure in the ear canal and

makes it significantly easier to remove the earplug

earplug Increased wearing comfort, even when worn for long periods **Protection features** Meets standard EN 352-2 and the additional requirements "Signal hearing in railway track superstructure construction" (S), "Signal hearing in road traffic" (V), "Warning signal hearing, general" (W) and "Signal hearing for locomotive drivers in "Signal hearing for locomotive drivers in railway operations" (E) 33 decibels insulation – H: 34 dB, M: 31 dB,

L: 29 dB

Suitable for use in extremely loud environments

### UVEX X-FOLD BANDED EARPLUGS 2125344





Ergonomically shaped banded ear protector for optimal positioning in front of the chin Colour: grey, sky blue, lime Version with band **Comfort features** Ergonomically shaped replacement earplugs for optimal wearer comfort **Protection features** Meets standard EN 352-2 27 decibels insulation - H: 29 dB, M: 23 dB, L: 22 dB Sizes: S/M/L





Disposable earplugs with a compact, ergonomic design Perfect for narrow and smaller ear canals

Colour: light orange. Version with cord Comfort features Patented x-grip technology reduces contact pressure in the ear canal and makes it significantly easier to remove the earplug

Increased wearing comfort, even when worn for long periods **Protection features** 

Meets standard EN 352-2 and the additional requirements "Signal hearing in railway track superstructure construction" (S), "Signal hearing in road traffic" (V), "Warning signal hearing, general" (W) and "Signal hearing for locomotive drivers in "Signal hearing for locomotive drivers in railway operations" (E) 33 decibels insulation – H: 34 dB, M: 31

dB, L: 29 dB

Suitable for use in extremely loud environments

#### UVEX AXESS ONE 2640001



Dual connection mode. Real active listening (RAL) function for clear perception of ambient noise. Communication, telephony and streaming Dual connection mode. Suitable for use in dusty and damp working conditions thanks to sealing caps Comfort features

Buttons with a shape that corresponds to their function. Optimal earmuff shape provides pressure-free protection for the outer ear. Padded textile headband for optimum comfort. Extra-soft memory foam ear cushions ensure optimal comfort for long periods. USB-C charging socket is rotationally symmetrical. Continuous length adjustment for the perfect

positioning. Hands-free telephony. Audio assistant provides status updates, so there is no need to remove the hearing protection in hazardous areas. Protection features Meets standard EN 352-1, 31 dB noise reduction, Sound level limiter protects against harmful impulse noise

Sizes: S/M/L WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

#### UVEX X-CAP BANDED EAR PROTECTION 2125361



Ergonomically shaped banded ear protector for optimal positioning in front of the chin Colour: grey, sky blue, lime Version with band **Comfort features** Ergonomically shaped replacement earplugs for optimal wearer comfort Protection features Meets standard EN 352-2 and the additional requirement "Warning signal hearing, general" (W) 24 decibels insulation – H: 27 dB, M: 19 dB, L: 18 dB Sizes: S/M/L

### UVEX K1 EARMUFFS 2600001



Ear muffs with length adjustment Low weight and compact size Colour: black, green Version with length adjustment Comfort features Easily adjustable for a perfect fit Soft surface and padded headband for optimal wearer comfort Protection features Mosts standard EN 252-1 Meets standard EN 352-1 28 decibels insulation – H: 35 dB, M: 24 dB, L: 17 dB **Sizes:** S/M/L

KWAZULU-NATAL +27 31 880 1639 kzn@saharaworkwear.com



UVEX K2 EARMUFFS 2600002	UVEX K3 EARMUFFS 2600003	UVEX K4 EARMUFFS 2600004
uvex	wex	uvex
Ear muffs with length adjustment Low weight and compact size Colour: black, yellow Version with length adjustment <b>Comfort features</b> Easily adjustable for a perfect fit Padded headband for optimal wearer comfort Wearer comfort guaranteed thanks to extra-soft memory foam ear cushions, even when worn for long periods <b>Protection features</b> Meets standard EN 352-1 32 decibels insulation - H: 37 dB, M: 29 dB, L: 21 dB Sizes: S/M/L	Ear muffs with length adjustment Low weight and compact size Colour: black, red Version with length adjustment <b>Comfort features</b> Easily adjustable for a perfect fit Padded headband for optimal wearer comfort Wearer comfort guaranteed thanks to extra-soft memory foam ear cushions, even when worn for long periods <b>Protection features</b> Meets standard EN 352-1 33 decibels insulation – H: 36 dB, M: 30 dB, L: 22 dB Higher insulation in high-frequency range	Ear muffs with length adjustment Low weight and compact size Colour: yellow Version with length adjustment <b>Comfort features</b> Easily adjustable for a perfect fit Padded headband for optimal wearer comfort Wearer comfort guaranteed thanks to extra-soft memory foam ear cushions, even when worn for long periods <b>Protection features</b> Meets standard EN 352-1 35 decibels insulation – H: 38 dB, M: 33 dB, L: 24 dB Higher insulation in high-frequency range
UVEX K200 EARMUFFS 2600200	Sizes: S7M/L + 9 0	Sizes: S/M/L
uvex	uvex	UVEX
Dielectric earmuffs with length adjustment Colour: black, ochre Version with 360° headband adjustment <b>Comfort features</b> Easily adjustable for a perfect fit Range of positions possible with 360° capsule rotation <b>Protection features</b> Meets standard EN 352-1 28 decibels insulation - H: 33 dB, M: 25	Dielectric helmet earmuffs Continuous length adjustment Sound isolation thanks to the rubber- cushioned earmuffs Operating/standby and resting positions Replaceable earmuff cushions for applications with high hygiene requirements Cushioned sealing pads with memory foam create an excellent seal and fit around the head. <b>Comfort features</b> Optimal earmuff shape provides pressure-	Dielectric helmet earmuffs Continuous length adjustment Sound isolation thanks to the rubber- cushioned earmuffs Operating/standby and resting positions Replaceable earmuff cushions for applications with high hygiene requirements Cushioned sealing pads with memory foam create an excellent seal and fit around the head. Comfort features
dB, L: 18 dB Suitable for use in workplace environments with exposure to electrical voltage Adjustable headband for a perfect fit and optimal protection <b>Sizes:</b> S/M/L	free protection for the outer ear Extra-soft memory foam ear cushions ensure optimal wearer comfort, even when worn for long periods Quickly and easily move the earmuffs into the operating, standby or resting position. <b>Protection features</b> Meets standard EN 352-3 28 dB noise reduction H: 34 dB, M: 26 dB, L: 18 dB <b>Sizes:</b> S/M/L	Optimal earmuff shape provides pressure- free protection for the outer ear Extra-soft memory foam ear cushions ensure optimal wearer comfort, even when worn for long periods Quickly and easily move the earmuffs into the operating, standby or resting position. <b>Protection features</b> Meets standard EN 352-3 30 dB noise reduction <b>Sizes:</b> S/M/L
GAUTENG +27 11 760 2185	<b>WESTERN CAPE</b> +27 21 518 0959	<b>KWAZULU-NATAL</b>

+27 11 760 2185 info@saharaworkwear.com +27 21 518 0959 coastal@saharaworkwear.com

COPYRIGHT © 2024 SAHARA WORKWEAR



# UVEX K30H 2630230 uvex

Dielectric helmet earmuffs Continuous length adjustment Sound isolation thanks to the rubber-Cushioned earmuffs Operating/standby and resting positions Replaceable earmuff cushions for applications with high hygiene requirements Cushioned sealing pads with memory foam create an excellent seal and fit around the head. **Comfort features** Optimal earmuff shape provides pressure-free protection for the outer ear

Extra-soft memory foam ear cushions ensure optimal wearer comfort, even when worn for long periods Quickly and easily move the earmuffs into the operating, standby or resting position. Protection features Meets standard EN 352-3 34 dB noise reduction Sizes: S/M/L

#### UVEX K1H HELMET EARMUFFS 2600201



Helmet earmuffs, ideal for combining with helmet and visor Suitable for all uvex safety helmets: uvex pheos B-WR, uvex alpine, uvex airwing, uvex superboss (additional adapter systems for combination available on request) Colour: black, green **Comfort features** Soft ear cushions adapt to surface and head shape to ensure optimal wearer comfort 360° rotation for standby and resting positions **Protection features** Meets standard EN 352-3 27 decibels insulation - H: 32 dB, M: 24 dB, L: 17 dB Length is easily adjustable for a perfect fit on the helmet

Sizes: S/M/L

### CLASSIC EAR MUFF CEM



**Product Information** Padded headband ear muff with soft foam cushions Low risk of entanglement on machinery Hearing protection for extended periods Durable self adjusting ABS cups Close fitting wire headband **Composition** H=33,9 dB, M=26,4 dB, L=17,7 dB SNR 28,6 dB Suitable For Use Welding Power Generators Machining Woodworking Grinding Aviation industry High pressure steaming Sizes: Standard size, that is adjustable to t sizes S, M, L

#### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

### DISPOSABLE CORDED EARPLUGS DR-099C



**Product Information** Disposable corded foam earplugs Smooth & soft foam for comfort Easy to use Superb attenuation Hi-visibility fluorescent lime PU foam Expands to fit ear canal comfortably Product Rating CE EN 352-2 (H=33 dB, M=33 dB, L=32 dB) SNR 35 dB Composition PU coated for hygiene Suitable For Use Machining Woodworking Grinding Steel cutting

#### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

### UVEX K2H HELMET EARMUFFS 2600202



Earmuffs, ideal for combining with helmet and visor Suitable for all uvex safety helmets: uvex pheos B-WR, uvex pheos alpine, uvex airwing, uvex superboss (additional adapter systems for combination available on request) Colour: black, yellow Version helmet earmuffs **Comfort features** Wearer comfort guaranteed thanks to extra-soft memory foam ear cushions, even when worn for long periods 360° rotation for standby and resting positions **Protection features** Meets standard EN 352-3 30 decibels insulation – H: 35 dB, M: 27 dB, L: 20 dB Length is easily adjustable for a perfect fit on the helmet Sizes: S/M/L

### JUNIOR EAR MUFFS JM-B



Product Information The original class leading ear defender Designed with comfort in mind Light weight and robust design Self adjusting ABS cups oft foam cushions for all day comfort Suitable for light industrial duty and outdoor construction Used under hard hat or around the neck Adjustable rotational cup Product Rating CE EN 352-1 (H=28db, M=21db, L=13db) SNR 24db Composition Universal ear ABS muffs Suitable For Use Machining Woodworking Grinding Steel cutting

**KWAZULU-NATAL** +27 31 880 1639

kzn@saharaworkwear.com





#### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

#### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR KWAZULU-NATAL +27 31 880 1639 kzn@saharaworkwear.com



#### BANDED RE-USABLE EARPLUGS EG-3301B INTEREX EAR MUFFS INTEREX Bromex **Product Information** Hi-visibility blue triple flange TPR ear plugs Composition H=28 bB, M=25 dB, L=25 dB) SNR 28 dB Suitable For Use Machining Woodworking Grinding Steel cutting



**Product Information** EU slotted Unique DROMEX connector that fits all hard hats Large twin point mounted cups with soft foam cushions Easy to attach & detatch with spring loaded arms Steel arms maintain a constant & even pressure Adjustable cup for optimum comfort & fit Composition H=31 dB, M=26 dB, L=19 dB SNR 28 dB Suitable For Use Machining Woodworking Grinding Steel cutting

### GREEN CORDED RE-USABLE EARPLUGS DR-090C



**Product Information** Hi-visibility fluorescent green triple (H=33 dB, M=30 dB, L=28 dB) SNR 32 dB Suitable For Use Machining Woodworking Grinding Steel cutting Office & Corporate



+27 11 760 2185 info@saharaworkwear.com

#### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

+27 31 880 1639 kzn@saharaworkwear.com



+27 11 760 2185

info@saharaworkwear.com

# **OTHER**



+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR






+27 21 518 0959 info@saharaworkwear.com coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

+27 11 760 2185






+27 11 760 2185 info@saharaworkwear.com

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR





Jockey® Ladies " Pure and Simple" Shorts is designed for your everyday use. Only the finest sustainable fabric to provide you with extra comfort and support. The breathable biker shorts have a special designed gusset that is double layered to make you feel and look your best.

> •Soft Breathable •Durable with cotton stretch •100% cotton gusset 95% cotton, 5% Lycra

The POUCH FEM is a practical accessory designed to keep your essentials organized and easily accessible. With its compact size and thoughtful design, it's perfect for storing cosmetics, toiletries, feminine hygiene products, or any other small items you need on the go. Made from Condura Fabric

#### The POUCH FEM Pink PVC is a practical accessory designed to keep your essentials organized and easily accessible. Crafted from durable PVC material in a vibrant pink color, this pouch offers functionality and convenience. With its compact size and thoughtful design, it's perfect for storing cosmetics, toiletries, feminine hygiene products, or any other small items you need on the go. KEY FEATURES: •Made from high-quality PVC material, this pouch is sturdy and resistant to wear and tear, ensuring long-lasting use. •With dimensions of 20X13X7CM, this pouch offers ample space for your essentials while remaining compact and portable •Secure Zipper Closure

#### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

#### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

+27 31 880 1639 kzn@saharaworkwear.com





+27 11 760 2185 info@saharaworkwear.com +27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR



### REFLECTIVE WEAR

HIGHWAY WAISTCOAT - WC-HIG	
Lightweight waistcoat with ID pocket           Full zip front           Front and back reflective tape           120g 100% Polyester fabric           BSCI           OEKO-TEX           Sizes: S to 5XL	

+27 11 760 2185 info@saharaworkwear.com +27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR







3M™ 6000 Series reusable respirators are made from lightweight materials, and the adjustable features help provide a secure fit.

fit. Compatible With: Line Compressed Air System SA Series, 3M™ Supplied Air System, Welding Shield, Dual Airline Supplied Air Connection Type: Bayonet Harness type: 4 point Hazard Type: Mold, Silica Primary Material: Thermoplastic Elastomer (TPE) Recommended industries: Automotive,

Recommended industries: Automotive, Construction, Food & Beverage Manufacturing, General Manufacturing, Heavy Manufacturing, Industrial Maintenance, Marine, Mining, Pharmaceuticals, Oil & Gas, Transportation Transportation



The 6000 Series full facepiece respirator is crafted from lightweight, yet durable materials and features a soft silicone faceseal that conforms to the wearer's faceseal that conforms to the wearer's face, along with a wide lens for visibility. Compatible with: 3M™ PAPR Systems, 3M™ Supplied Air System Connection Type: Bayonet Features: Dual Airline Supplied Air Compatible, Large Lens for Enhanced Field of View, Cool Flow™ Exhalation Valve, Enhanced Comfort Harness type: 4 point Harness type: 4 point Hazard Type: Mold, Silica Primary Material: Silicone/Thermoplastic Elastomer

Elastomer **Recommended Industries:** Construction, Design & Construction, Food & Beverage Manufacturing, General Manufacturing, Heavy Industrial, Industrial Maintenance, Marine, Mining, Oil & Gas, Pharmaceutical, Transportation

DUST MASK DRAGER X-PLORE 1520 FFP2 3956034

### 3M<sup>™</sup> REUSABLE HALF FACE MASK SMALL 7501



Reusable Half Face Masks 7500 Series have a bayonet-style twin-filter design that fits a broad range of 3M lightweight filters. Our 7500 Series reusable masks have a 3M™ Cool Flow™ Valve, a soft sealing surface for comfort, and a unique head harness with an optional drop-down strap

Connection Type: Bayonet Facepiece Material: Silicone Harness type: 4 point Mask Size: Small Net Weight (Metric): 136 g Primary Material: Silicone Recommended Application: Construction, Food & Beverage Manufacturing, General Manufacturing, Metalworking, Woodworking Replaceable Cartridge Included

DUST MASK DRAGER X-PLORE 1520 FFP2V 3956146

Dräger

### 3M<sup>™</sup> RUGGED COMFORT HALF FACEPIECE 6501/49487 SMALL



The 3M™ Rugged Comfort 6500 Series Half Facepiece Reusable Respirator is designed to help promote comfort, durability, and stability with a firm, lightly textured silicone faceseal and strong body

silicone faceseal and strong body construction. Features: 3M™ Cool Flow™ Valve Gas & Vapor Protection Type: Hydrogen Fluoride, Mercury Vapor or Chlorine, Organic Vapor, Organic Vapor/Acid Gas/Ammonia/ Methylamine/Formaldehyde Hazard Type: Mold, Silica Primary Material: Silicone/Nylon Becommended Industries: Agriculture

Recommended Industries: Agriculture, Construction, Design & Construction, Facility Sanitation, Food & Beverage Manufacturing, Food Processing, Food Safety, General Manufacturing, Heavy Industrial, Industrial Maintenance, Manufacturing, Marine, Metal Production & Fabrication, Military Maintenance, Repair & Operation (MRO), Mining, Oil & Gas, Pharmaceutical, Transportation

#### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

# The Dräger X-plore 1520 FFP2 is a high-

Dräger

performance filtering face piece that protects against solid and liquid non-volatile particles. It complies with strict standards, including homologation AZ2010/59 by SABS. Materials: Constructed using a mechanical and electrically charged nonwoven

and electrically charged nonwoven material for particle filtration. A textile rubber band head strap and a tinplate nose clip. The filter consists of four layers: spunbond (outer), prefilter, meltblown, and spunbond (inner). Particle Filtration Efficiency: Achieves at

Particle Filtration Efficiency: Achieves at least 94% efficiency for both sodium chloride and paraffin oil aerosols, meeting EN 149 standards.
 Breathing Resistance: Low breathing resistance with maximum values of 0.7 mbar for inhalation and 3.0 mbar for exhalation at constant flow rates.
 Dolomite Clogging Test: Successfully passed, ensuring long-lasting durability even in challenging conditions.

#### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

The Dräger X-plore 1520 FFP2V is a filtering face piece designed to protect against solid and liquid non-volatile particles. Approved through AZ2010/59 homologation by SABS **Materials:** Constructed with a mechanical

Materials: Constructed with a mechanical and electrically charged nonwoven material for particle filtration, a textile rubber band for the head strap, a tinplate nose clip, and an integrated valve for improved breathability.
 Particle Filtration Efficiency: Meets EN 149 standards with a minimum 94% filtration efficiency for sodium chloride

filtration efficiency for sodium chloride and paraffin oil aerosols. Breathing Resistance: Features low breathing resistance, with maximum inhalation resistance of 0.7 mbar and exhalation resistance of 3.0 mbar at specified flow rates.

Dolomite Clogging Test: Successfully passed, demonstrating durability even in demanding conditions.

KWAZULU-NATAL +27 31 880 1639

kzn@saharaworkwear.com



### DUST MASK DRAGER X-PLORE 1720 FFP2 3956153



The Dräger X-plore 1700 FFP2 provides effective protection against fine dust, solid particles, and liquid aerosols. It meets the FFP2 class under EN 149 standards.

CoolSAFE™ Filter Material: This multi layer filter material ensures efficient filtration with low breathing resistance allowing comfortable use over extended

periods. VarioFLEX™ Head Harness: The continuous loop design, made from elastic textile straps, offers a secure, pressurefree fit.

- Secure Seal: The ergonomic design, with a soft nose pad and nose clip, ensures a tight, leak-free seal. Comfortable to Wear: The hypoallergenic inner fleece lining repels moisture, enhancing comfort and minimizing breathing resistance, even during extended wear.



The Dräger X-plore 1720 FFP2V offers both protection and comfort. It safeguards against fine dust, solid particles, and against fine dust, solid particles, and liquid aerosols while ensuring ease of use and comfort during extended tasks. **CoolSAFE™ Filter Material:** High-performance filter media provide efficient filtration with low breathing resistance, allowing extended use without fatigue. CoolMAX™ Exhalation Valve: Releases

warm and humid air to prevent heat buildup. VarioFLEX™ Head Harness: Elastic textile

straps offer a secure, pressure-free fit. Secure Seal: Ergonomic design with a soft nose pad and clip ensures a tight, leakfree fit, enhancing protection.

Comfort: The soft, hypoallergenic, and

moisture-repellent inner fleece lining enhances comfort. **Certifications:** Complies with EN 149:2001+A1:2009 standards

DRÄGER X-PLORE® 3500 HALF MASK

The Dräger X-plore® 1730 is designed for optimal comfort and safety, providing high filtration efficiency with low breathing resistance in hazardous environments. CoolSAFE™ Filter Material: Delivers high

DUST MASK DRAGER X-PLORE 1730 FFP3V 3956160

Dräger

filtration performance while maintaining low breathing resistance, allowing easy, comfortable breathing. CoolMAX™ Exhalation Valve: Efficiently

releases warm, humid air, preventing heat build-up.

VarioFLEX™ Head Harness: The elastic, tear-proof harness ensures a secure,

soft nose pad and nose clip, ensures a tight, leak-free fit, enhancing protection. FFP3 Protection: Provides FFP3-level

defense against solid and liquid particles. radioactive materials, airborne biological substances (risk groups 3), and enzymes, suitable for highly hazardous environments

### X-PLORE 1520 FFP2 DUST MASK (VALVE)



The Dräger X-plore® 4740 is a robust half mask designed for exceptional comfort and leak-tightness in demanding applications. Suitable for various industries, it offers compatibility with a wide range of filters for protection against gases, vapors, and particles. Features:

- Mask Body: Available in silicone (black)
- or TPE (grey-transparent), with a durable PP plastic hard body. Filter Connection: Standard thread connection (Rd40) compliant with EN 148-1 for flexibility in filter options.
- Weight: Approximately 160 g (silicone) and 175 g (TPE). Head Harness: Flexible neoprene strap
- with adjustable points; drop-down option for convenience. Robust Design: Durable materials
- ensure longevity and reliability.

### DRÄGER X-PLORE® 3300 HALF MASK



The Dräger X-plore® 3300 is a lightweight half mask designed for comfort and efficiency in respiratory protection. Made from skin-friendly Soft-TPE, it offers a secure fit for various applications. Features:

- Features:
- Twin-filter system for enhanced safety. Low breathing resistance with a large
- exhalation valve. Ergonomic design with criss-cross head straps for even pressure distribution.
- Compact and low-profile, ensuring an optimal field of view. CE-certified (EN 140) for reliable protection.

Dräger

The Dräger X-plore® 3500 combines durability and comfort with its hypoallergenic DrägerFlex material. It's designed for users needing long-lasting protection in demanding conditions. Features:

- Drop-down harness for easy donning and doffing.
- FlexiFit head straps provide an adjustable and secure fit. Criss-cross strap design ensures comfort and pressure distribution. Compact design that does not interfere
- with protective eyewear. CE-certified (EN 140) with available spare parts for maintenance.

#### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

#### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

+27 31 880 1639 kzn@saharaworkwear.com





The Dräger CDR 4500 full face mask provides together with a suitable respiratory filter an approved combination specially developed for use in civil defense and civil protection. **Product type:** Single-port full face mask **Protection against:** Particles and / or gases and vapors - depending on the respiratory filter used **Mask body material:** EPDM **Front port options:** RA -Standard thread connection Rd40 (according to EN 148-1) **Combinable with:** RD40 filters **Visor material:** PC (impact-proof) Visor material: PC (impact-proof) Head harness: 5-point rubber head harness Approvals: EN 136 class 3 EN 137 type 2 NIOSH

### DUST MASK GREENLINE FFP2V 1201



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort. SABS Quality Mark: Manufactured under SABS Mark scheme.

Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals. Metal Nose Clip: Punched and Rounded Metal Nose Clip.

Foldable: Mask folds flat for easy storage. Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot

areas. Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP2 has an APF of 10

#### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

#### DRÄGER FPS® 7000



Product type: Single-port full face mask Protection against: Particles and / or gases and vapors - depending on the system used Mask body material: EPDM or Silicone Mask body material: EPDM or Silicone Communication system Front port options: RA -Standard thread connection Rd40 (according to EN 148-1), PE-thread connection M45x3 (according to EN 148-3),ESA-plug-in connection (according to DIN 58600), P-Dräger plug-in connection, RP-Dräger plug-in connection (closed-circuit) Combinable with: BD40 filters PAPR Combinable with: RD40 filters, PAPR, Airline Unit, SCBA, CCBA Visor material: PC (impact-proof) Head harness: 5-point rubber head harness, 2-point connection for Dräger HPS 7000 helmets, Textile hairnet Approvals: EN 136 class 3, EN 137 type 2 DIN 58610, VFDB 0802 (RA, PE, ESA), AS/NZS 1716:2012, NIOSH (certain variants), NFPA (certain variants) Combinable with: RD40 filters, PAPR,





Superior Filter Media: Superior Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort. SABS Quality Mark: Manufactured under SABS Mark scheme Quality: All respirators are manufactured

Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals. Metal Nose Clip: Punched and Rounded

Metal Nose Clip. Foldable: Mask folds flat for easy storage.

Foldable: Mask folds flat for easy storage. Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFFP2 has an APF of 10

#### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

### DUST MASK GREENLINE FFP2 1200



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort. SABS Quality Mark: Manufactured under SÁBS Mark scheme. Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals. Metal Nose Clip: Punched and Rounded

Metal Nose Clip. Foldable: Mask folds flat for easy storage.

Foldable: Mask folds flat for easy storage. Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP2 has an APF of 10

### DUST MASK GREENLINE FFP2V 3201



Superior Filter Media: Superior Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.

SABS Quality Mark: Manufactured under SABS Mark scheme SABS Mark scheme Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals. Metal Nose Clip: Punched and Rounded Metal Nose Clip. Foldable: Mask folds flat for easy storage.

Comfort Valve: To exhaust exhaled air Effectively get workers to wear masks in hot

areas. Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFFP2 has an APF of 10

> +27 31 880 1639 kzn@saharaworkwear.com



### DUST MASK GREENLINE FFP2 4200 **GREENLINE**

Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort. SABS Quality Mark: Manufactured under SABS Mark scheme.

Quality: All respirators are manufactured in South Africa accordance with international standards and quality

approvals. Metal Nose Clip: Punched and Rounded Metal Nose Clip. Foldable: Mask folds flat for easy storage.

Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP2 has an APF of 10

#### DUST MASK GREENLINE FFP2V 4201



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.

SABS Quality Mark: Manufactured under SABS Mark scheme.

**Quality:** All respirators are manufactured in South Africa accordance with international

standards and quality approvals. Metal Nose Clip: Punched and Rounded Metal Nose Clip. Foldable: Mask folds flat for easy storage. Comfort Valve: To exhaust exhaled air

Effectively get workers to wear masks in hot areas.

Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP2 has an APF of 10

DUST



**CREENLINE** 

Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker

SABS Quality Mark: Manufactured under SABS Mark scheme. Quality: All respirators are manufactured in South Africa accordance with international

standards and quality approvals. Metal Nose Clip: Punched and Rounded Metal Nose Clip

**Adjustable:** Mask is adjustable to fit most face shapes.The mask folds flat for easy storage

Colour Coded Hydrophobic Outer: Easy identification of risk area and worker compliance. Outer material is inherently hydrophobic and repels moisture. **Comfort Valve:** To exhaust exhaled air. Effectively get workers to wear masks in

hot areas.

Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile

industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP2 has an APF of 10

GAUTENG

+27 11 760 2185 info@saharaworkwear.com



Superior Filter Media: Electrostatic charged filter media electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort. SABS Quality Mark: Manufactured under SABS Mark scheme.

Guality: All respirators are manufactured in South Africa accordance with international standards and quality approvals. Metal Nose Clip: Punched and Rounded

Metal Nose Clip.

Adjustable: Mask is adjustable to fit most face shapes. The mask folds flat for easy storage

**Colour Coded Hydrophobic Outer:** Easy identification of risk area and worker compliance. Outer material is inherently hydrophobic and repels moisture.

Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in

hot areas. **Usage:** Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile

industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP3 has an APF of 20

#### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

### DUST MASK GREENLINE FFP2 5200



Superior Filter Media: Electrostatic charged filter media with a low breathing CO2 build up resulting in higher worker productivity and comfort.

SABS Quality Mark: Manufactured under SABS Mark scheme. Quality: All respirators are manufactured in South Africa accordance with international standards and quality

approvals. Metal Nose Clip: Punched and Rounded Metal Nose Clip. Metal Nose Clip. Adjustable: Mask is adjustable to fit most

face shapes. The mask folds flat for easy

storage Colour Coded Hydrophobic Outer: Easy identification of risk area and worker compliance. Outer material is inherently

hydrophobic and repels moisture. Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel

industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP2 has an APF of 10

#### MASK GREENLINE FFP2V 5401 DUST



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and

CO2 build up resulting in higher worker productivity and comfort. SABS Quality Mark: Manufactured under SABS Mark scheme.

Quality: All respirators are manufactured in South Africa accordance with international

standards and quality approvals. Metal Nose Clip: Punched and Rounded Metal Nose Clip.

Adjustable: Mask is adjustable to fit most face shapes. The mask folds flat for easy storage

Colour Coded Hydrophobic Outer: Easy identification of risk area and worker compliance. Outer material is inherently

hydrophobic and repels moisture. Comfort Valve: To exhaust exhaled air Effectively get workers to wear masks in

hot areas. Usage: Base Metal Manufacture, Brick

Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile

industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP2 has an APF of 10

KWAZULU-NATAL



# DUST MASK GREENLINE FFP1 6100 **GREENLINE**

Superior Filter Media: Electrostatic charged filter media with a low breathing consistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort.
 SABS Quality Mark: Manufactured under SABS Mark scheme Quality: All respirators are manufactured in South Africa accordance with

international standards and quality approvals. Metal Nose Clip: Punched and Rounded

Metal Nose Clip: Punched and Rounded Metal Nose Clip. Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user. Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP1 has an APF of 4

### DUST MASK GREENLINE FFP2 6200



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort. SABS Quality Mark: Manufactured under SABS Mark scheme

**Quality:** All respirators are manufactured in South Africa accordance with international standards and quality approvals. Metal Nose Clip: Punched and Rounded

Metal Nose Clip.

Metal Nose Clip. Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user. Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP2 has an APF of 10

### DUST MASK GREENLINE FFP2 7200

**CREENLINE** 



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker

South Africa accordance with international standards and quality approvals. Metal Nose Clip: Punched and Rounded Metal Nose Clip. Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user. Usage: Base Metal Manufacture, Brick

Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered

Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP2 has an APF of 10

GAUTENG

+27 11 760 2185 info@saharaworkwear.com

### DUST MASK GREENLINE FFP2V 7201 **CREENLINE**



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker

SourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSourceSour<

standards and quality approvals.

Metal Nose Clip: Punched and Rounded Metal Nose Clip. Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user. Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.

Usage: Base Metal Manufacture, Brick Additives, Pharmaceutical, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP2 has an APF of 10

#### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

### DUST MASK GREENLINE FFP2V 6201



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker

SABS Quality Mark: Manufactured under SABS Mark scheme Quality: All respirators are manufactured in South Africa accordance with international standards and quality

approvals. Metal Nose Clip: Punched and Rounded Metal Nose Clip. Adjustable Elastic: Pull tabs to fit any size.

No staples to pull loose or scratch user. Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in

Effectively get workers to wear masks in hot areas. Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP2 has an APF of 10

#### MASK GREENLINE FFP3V 7301 DUST



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker

SABS Quality Mark: Manufactured under SABS Mark scheme Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals.

Metal Nose Clip: Punched and Rounded Metal Nose Clip. Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user. Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in

hot areas. Usage: Base Metal Manufacture, Brick Additives, Pharmaceutical, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP3 has an APF of 20

KWAZULU-NATAL +27 31 880 1639

kzn@saharaworkwear.com



# DUST MASK GREENLINE FFP2 7400 GREENLINE

Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort. SABS Quality Mark: Manufactured under SABS Mark scheme Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals. Metal Nose Clip: Punched and Rounded Metal Nose Clip. Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user. Usage: Base Metal Manufacture, Brick Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP2 has an APF of 10

### DUST MASK GREENLINE FFP2V 7401



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort. SABS Quality Mark: Manufactured under SABS Mark scheme

Quality: All respirators are manufactured in South Africa accordance with international

standards and quality approvals. Metal Nose Clip: Punched and Rounded Adjustable Elastic: Pull tabs to fit any size.

No staples to pull loose or scratch user. Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.

Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile

industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Weldi An FFP2 has an APF of 10 Welding work.

DUST

MASK GREENLINE FFP2V 9606

### DUST MASK GREENLINE FFP2V 96031





Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker

SABS Quality Mark: Manufactured under SABS Mark scheme Quality: All respirators are manufactured in South Africa accordance with international standards and quality approvals. Metal Nose Clip: Punched and Rounded

Metal Nose Clip. Foldable: Mask folds flat for easy storage **Comfort Valve:** To exhaust exhaled air. Effectively get workers to wear masks in hot areas.

Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered

Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. FFP2 has an APF of 10

#### GAUTENG

+27 11 760 2185 info@saharaworkwear.com



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker

SABS Quality Mark: Manufactured under SABS Mark scheme Quality: All respirators are manufactured in South Africa accordance with international

standards and quality approvals. Metal Nose Clip: Punched and Rounded Metal Nose Clip.

Foldable: Mask folds flat for easy storage **Comfort Valve:** To exhaust exhaled air. Effectively get workers to wear masks in hot areas.

**Usage:** Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile

industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. FFP2 has an APF of 10

#### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

### DUST MASK GREENLINE FFP3V 7501



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker productivity and comfort. SABS Quality Mark: Manufactured under SABS Mark scheme

Quality: All respirators are manufactured in South Africa accordance with international

standards and quality approvals. Metal Nose Clip: Punched and Rounded

Adjustable Elastic: Pull tabs to fit any size. No staples to pull loose or scratch user. Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.

Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel

industry, Mining, Underground civil engineering, Woodworking, Welding work. An FFP3 has an APF of 20

#### MASK GREENLINE FFP2V 9241 DUST



Superior Filter Media: Electrostatic charged filter media with a low breathing resistance, effectively reducing heat and CO2 build up resulting in higher worker

SABS Quality Mark: Manufactured under SABS Mark scheme Quality: All respirators are manufactured in South Africa accordance with international

standards and quality approvals. Metal Nose Clip: Punched and Rounded Metal Nose Clip.

Foldable: Mask folds flat for easy storage Comfort Valve: To exhaust exhaled air. Effectively get workers to wear masks in hot areas.

Usage: Base Metal Manufacture, Brick Usage: Base Metal Manufacture, Brick Manufacture, Laboratories, Powdered Additives, Pharmaceutical, Powdered Chemicals, Sawmills, Food Industry, Textile industry, Craftwork, Iron and steel industry, Mining, Underground civil engineering, Woodworking, Welding work. FFP2 has an APF of 10

KWAZULU-NATAL



#### 1PC SAHARA D59 L ART



The SAHARA D59 100% Cotton Ladies Artisan Boiler Suit is a durable garment designed for underground mining. It designed for underground mining. It adheres to SANS 434 standards, featuring a 2-way YKK zip front, full swing side trouser pockets, side slits, and a ruler pocket for functionality. It also includes two breast pockets, a covered elastic back for comfort, and triple stitching for durability. The suit has open cuffs, reflective tape added for visibility, and is made from 100% cotton with SABS-compliant trims. It is sized to account for compliant trims. It is sized to account for fabric shrinkage, ensuring a proper fit.

#### 1PC SAHARA J54 L ART



The SAHARA J54 100% Cotton Ladies Artisan Boiler Suit is a durable garment designed for underground mining. It designed for underground mining. It adheres to SANS 434 standards, featuring a 2-way YKK zip front, full swing side trouser pockets, side slits, and a ruler pocket for functionality. It also includes two breast pockets, a covered elastic back for comfort, and triple stitching for durability. The suit has open cuffs, reflective tane tape added for wisibility. reflective tape tape added for visibility and is made from 100% cotton with SABScompliant trims. It is sized to account for fabric shrinkage, ensuring a proper fit.

#### **1PC SAHARA D59 L ENG**



The SAHARA D59 100% Cotton Ladies Engineering Suit is a durable garment designed for underground mining. It adheres to SANS 434 standards, featuring a 2-way YKK zip front, Ribbed Cuff Sleeve, full swing side trouser pockets, side slits, and a ruler pocket for functionality. It also elastic back for comfort, and triple stitching for durability. The suit has ribbed cuffs, reflective tape added for visibility, and is made from 100% cotton with SABS-compliant trims. It is sized to account for fabric shrinkage, ensuring a proper fit.

#### 1PC SAHARA J54 L ENG



The SAHARA J54 100% Cotton Ladies Engineering Suit is a durable garment designed for underground mining. It adheres to SANS 434 standards, featuring a 2-way YKK zip front, Ribbed Cuff Sleeve, a 2-way YK 21p front, Ribbed Curl Steeve, full swing side trouser pockets, side slits, and a ruler pocket for functionality. It also includes two breast pockets, a covered elastic back for comfort, and triple stitching for durability. The suit has ribbed cuffs, reflective tape added for visibility, and is made from 100% cotton with SABS-compliant trims. It is sized to account for fabric schipkage ensuring a

account for fabric shrinkage, ensuring a proper fit.

GAUTENG

+27 11 760 2185

info@saharaworkwear.com

### 1PC SAHARA ACID PV L GRN



SAHARA Polyviscose acid resistant ladies Boiler suit. Manufactured in reference to sans 434. 2 way YKK zip front. Full swing side trouser pockets. Elasticated on back of trouser. Breast pocket with a flap and button to close. Fully posted (triple stitched) For use predominantly in areas where chemical substances are present. Fabric: 80/20 Polyester/Viscose. This Polyviscose fabric complies to test requirements given in EN 13034 and when testes in accordance with ISO 6530 and classified as per EN 14325 meets Class 3 Level, reflective tape added for visibility. Trims: All sabs compliant The garment is manufactured to sizes which exceed SABS 434.

WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR



SAHARA ladies 100% cotton D59 flame retardant Boiler suit. Manufactured in reference to sans 434, brass ykk zipper, breast pocket with flap and press stud to close, fully posted (triple stitched), all stress seams are bar tacked, double stitched pockets, fill swing side trouser pockets, press stud above zip/ below the collar on jacket, extended sleeve length & jacket length to accommodate for

industrial wash cotton shrinkage, Elasticated on back trouser Fabric: 100% cotton D59 flame retardant and is sabs mark bearing according to SANS 1387 part IV, reflective tape added for visibility. Trims: All sabs compliant The garment is manufactured to sizes that exceed SABS 434

KWAZULU-NATAL +27 31 880 1639 kzn@saharaworkwear.com



#### 1PC SAHARA L 65/35 ACID



SAHARA 65/35 polycotton acid resistant ladies Boiler suit. Manufactured in reference to sans 434. 2 way YKK zip front. Full swing side trouser pockets. Elasticated on back of trouser. Breast pocket with a flap and button to close. Fully posted (triple stitched). For use predominantly in areas where chemical substances are present. Fabric: 65/35 Polycotton and is sabs mark bearing according to SANS 1387 part IV, Reflective tape added for visibility. Trims: All sabs compliant. The garment is manufactured to sizes which exceed SABS 434

#### 2PC SAHARA J54 L



SAHARA ladies cut 100% cotton J54 conti suit.

Flares around bust & hips with side slits, brass YKK zipper, breast pocket with flap and press stud to close, slanted side ja cke t pockets, fully posted (triple

stitched), all stress seams are bar tacked, double stitched pockets, deep swing side trouser pockets, ruler pocket on trouser, ribbed cuffed sleeve, pink label for ease of identification, drawstring waist.

Fabric: 100% cotton and is sabs mark bearing according to SANS 1387 part IV, Reflective tape added for visibility

Trims: All sabs compliant The garment is manufactured to sizes which exceed SABS 434

#### 2PC SAHARA D59 L



SAHARA ladies cut 100% cotton D59conti suit.

Flares around bust & hips with side slits, brass YKK zipper, breast pocket with flap and press stud to close, slanted side ja cke t pockets, fully posted (triple

cke t pockets, fully posted (triple stitched), all stress seams are bar tacked, double stitched pockets, deep swing side trouser pockets, ruler pocket on trouser, ribbed cuffed sleeve, pink label for ease of identification, drawstring waist. Fabric: 100% cotton and is sabs mark bearing according to SANS 1387 part IV, Reflective tape added for visibility Trims: All sabs compliant

The garment is manufactured to sizes which exceed SABS 434

#### 2PC SAHARA L PV ACID



SAHARA Polyviscose acid resistant ladies Conti suit. Manufactured in reference to sans 434. 2 way YKK zip front. Full swing side trouser pockets, side slits & ruler pocket. Covered elastic back. One breast pocket with a flap and button to close. Fully posted (triple stitched) inner leg, back rise, waist and shoulder line, open

cuffs. For use predominantly in areas where chemical substances are present. Fabric: 100% cotton and is sabs mark bearing according to SANS 1387 part IV, Reflective tape added for visibility. Trims: All sabs compliant The garment is manufactured to sizes that

The garment is manufact<sup>'</sup>ured to sizes that exceed SABS 434

**2PC NOAH L ACID FLAME** 

The NOAH Acid Resistant and Flame Retardant Conti Suit is designed for protection in environments with chemicals and open flames. Compliance with SANS 434 standards Brass YKK zipper, breast pocket with flap, front jacket pockets, and elasticated cuffs Triple posting, bar-tacked stress seams, and double-stitched pockets Full swing side trouser pockets, ruler pocket, and extended sleeve and jacket lengths to account for fabric shrinkage Reflective tape added for visibility Fabric: CS59 W8, compliant with SANS 1387:2017, EN 13034, and ISO 6530 for flame and acid resistance SABS compliant trims and sizing



+27 11 760 2185 info@saharaworkwear.com



SAHARA ladies 100% cotton D59 flame retardant Conti suit. Manufactured in reference to sans 434, brass ykk zipper, breast pocket with flap and press stud to close, slanted side jacket pockets, fully posted (triple stitched), all stress seams are bar tacked, double stitched pockets,

fill swing side trouser pockets, ruler pocket on trouser, press stud above zip/ below the collar on jacket, extended

sleeve length & jacket length to accommodate for industrial wash cotton shrinkage, drawstring trouser

Fabric: 100% cotton D59 flame retardant and is sabs mark bearing according to SANS 1387 part IV, Reflective tape added for visibility. Trims: All sabs compliant The garment is manufactured to sizes that exceed SABS 434

WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR KWAZULU-NATAL +27 31 880 1639 kzn@saharaworkwear.com



#### 2PC SAHARA L 65/35 ACID



SAHARA 65/35 polycotton acid resistant ladies Conti suit. Manufactured in reference to sans 434. 2 way YKK zip front. Full swing side trouser pockets, side slits & ruler pocket. Covered elastic back. One breast pocket with a flap and button to close. Fully posted (triple stitched) inner leg, back rise, waist and shoulder line, open cuffs. For use predominantly in areas where chemical substances are present. Fabric: 65/35 Polycotton and is sabs mark bearing according to SANS 1387 part IV, Reflective Tape added for visibility. Trims: All sabs compliant The garment is manufactured to sizes that exceed SABS 434

#### SHIRT SAHARA COT L L/S



SAHARA ladies cut long sleeve winter and summer work shirts 100% cotton shirting fabric Button down Mesh vent inner back with vent (summer shirt with vents winter shirts without vents) Reflective tape added for visibility Available in a variety of colours such as: Orange/Charcoal, Yellow/Grey, Yellow/Navy, Orange/Navy, Red/Navy, and more

#### SHIRT SAHARA COT L S/S



SAHARA ladies cut short sleeve work shirts 100% cotton shirting fabric Button down Mesh vent inner back with vent Reflective tape added for visibility Available in a variety of colours such as: Orange/Charcoal, Yellow/Grey, Yellow/Navy, Orange/Navy, Red/Navy, and more

#### SHIRT SAHARA COT L MAT



Shirt Sahara Cotton Ladies Maternity Long Sleeve, a functional and comfortable work shirt designed for expecting mothers, offering both style and practicality. This shirt features a vibrant two-tone color scheme, providing visibility and a modern aesthetic. Long Sleeve Summer Reflective Work Shirt: Ideal for warm weather, this long sleeve shirt is crafted to keep you cool and visible. Extra Length: With added length, this maternity shirt ensures a comfortable and flattering fit throughout your pregnancy. Air Vent Opening Across the Back: The shirt features an air vent opening across the back, lined with mesh, promoting airflow. Reinforced with double top stitching Crafted from lightweight approximately 155g cotton fabric

#### GAUTENG

+27 11 760 2185 info@saharaworkwear.com

#### JEAN SAHARA DENIM SKINNY L BLUE

SAHABA

WORKWEAR

alta it it eur



Industrial Wash: A durable industrial wash process gives these jeans a timeless, worn-in appearance while enhancing their longevity. Deeper Pockets Reinforced with rustless rivets,Oxidized YKK Zipper Designed with extra length Crafted from 9.05oz stretch denim, these jeans offer optimal comfort and flexibility, allowing you to move freely throughout your day. All trims used in the manufacturing process meet SABS compliance standards, ensuring quality and safety. Manufactured to sizes that exceed SABS 434 standards

#### WESTERN CAPE

+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

#### JEAN SAHARA DENIM STRETCH L B/LEG BLUE



SAHARA WORKWEAR

Sahara Ladies Fashion 8.5oz Stretch Indigo Denim Bootleg Jeans, These jeans undergo a robust industrial wash process. The posted inner leg enhances the durability of the jeans Deeper pockets, Reinforced with rustless rivets, The oxidized YKK zipper offers smooth functionality and longevity. Designed with extra length Crafted from 9.05oz stretch denim, these jeans offer superior comfort and flexibility, allowing for unrestricted movement throughout the day. All trims used in the manufacturing process meet SABS compliance standards, ensuring high-quality construction and safety. Manufactured to sizes that exceed SABS

434 standards





#### **Terms and Conditions:**

- Minimum order quantity might apply Please check stock availability before purchase Please note made to order items will have a lead time please confirm the lead time before purchase
- Standard terms and conditions apply.

When receiving/downloading our catalogues you accept/acknowledge that some items displayed in the catalogue might have different lead/delivery times than usual or may temporarily be out of stock or permanently discontinued.

We appreciate your understanding. Please feel free to email us at info@saharaworkwear.com if you have any queries

GAUTENG

+27 11 760 2185 info@saharaworkwear.com



+27 21 518 0959 coastal@saharaworkwear.com COPYRIGHT © 2024 SAHARA WORKWEAR

KWAZULU-NATAL